



Welcome

# Managed integrations



**API Version 2025-03-03**

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

## Managed integrations: Welcome

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

<b>Welcome</b> .....	<b>1</b>
<b>Actions</b> .....	<b>2</b>
CreateAccountAssociation .....	5
Request Syntax .....	5
URI Request Parameters .....	5
Request Body .....	5
Response Syntax .....	7
Response Elements .....	7
Errors .....	8
See Also .....	9
CreateCloudConnector .....	11
Request Syntax .....	11
URI Request Parameters .....	11
Request Body .....	11
Response Syntax .....	13
Response Elements .....	13
Errors .....	13
See Also .....	14
CreateConnectorDestination .....	15
Request Syntax .....	15
URI Request Parameters .....	16
Request Body .....	16
Response Syntax .....	18
Response Elements .....	18
Errors .....	18
See Also .....	19
CreateCredentialLocker .....	21
Request Syntax .....	21
URI Request Parameters .....	21
Request Body .....	21
Response Syntax .....	22
Response Elements .....	22
Errors .....	23
See Also .....	24

---

CreateDestination .....	26
Request Syntax .....	26
URI Request Parameters .....	26
Request Body .....	26
Response Syntax .....	28
Response Elements .....	28
Errors .....	29
See Also .....	30
CreateEventLogConfiguration .....	31
Request Syntax .....	31
URI Request Parameters .....	31
Request Body .....	31
Response Syntax .....	32
Response Elements .....	32
Errors .....	33
See Also .....	34
CreateManagedThing .....	35
Request Syntax .....	35
URI Request Parameters .....	36
Request Body .....	36
Response Syntax .....	41
Response Elements .....	41
Errors .....	42
See Also .....	43
CreateNotificationConfiguration .....	45
Request Syntax .....	45
URI Request Parameters .....	45
Request Body .....	45
Response Syntax .....	46
Response Elements .....	47
Errors .....	47
See Also .....	48
CreateOtaTask .....	49
Request Syntax .....	49
URI Request Parameters .....	50
Request Body .....	50

Response Syntax .....	52
Response Elements .....	53
Errors .....	54
See Also .....	55
CreateOtaTaskConfiguration .....	56
Request Syntax .....	56
URI Request Parameters .....	57
Request Body .....	57
Response Syntax .....	58
Response Elements .....	58
Errors .....	58
See Also .....	59
CreateProvisioningProfile .....	61
Request Syntax .....	61
URI Request Parameters .....	61
Request Body .....	61
Response Syntax .....	63
Response Elements .....	63
Errors .....	65
See Also .....	66
DeleteAccountAssociation .....	67
Request Syntax .....	67
URI Request Parameters .....	67
Request Body .....	67
Response Syntax .....	67
Response Elements .....	67
Errors .....	68
See Also .....	68
DeleteCloudConnector .....	70
Request Syntax .....	70
URI Request Parameters .....	70
Request Body .....	70
Response Syntax .....	70
Response Elements .....	70
Errors .....	70
See Also .....	71

DeleteConnectorDestination .....	73
Request Syntax .....	73
URI Request Parameters .....	73
Request Body .....	73
Response Syntax .....	73
Response Elements .....	73
Errors .....	74
See Also .....	74
DeleteCredentialLocker .....	76
Request Syntax .....	76
URI Request Parameters .....	76
Request Body .....	76
Response Syntax .....	76
Response Elements .....	76
Errors .....	77
See Also .....	77
DeleteDestination .....	79
Request Syntax .....	79
URI Request Parameters .....	79
Request Body .....	79
Response Syntax .....	79
Response Elements .....	79
Errors .....	79
See Also .....	80
DeleteEventLogConfiguration .....	82
Request Syntax .....	82
URI Request Parameters .....	82
Request Body .....	82
Response Syntax .....	82
Response Elements .....	82
Errors .....	82
See Also .....	83
DeleteManagedThing .....	85
Request Syntax .....	85
URI Request Parameters .....	85
Request Body .....	85

Response Syntax .....	85
Response Elements .....	85
Errors .....	86
See Also .....	87
DeleteNotificationConfiguration .....	88
Request Syntax .....	88
URI Request Parameters .....	88
Request Body .....	88
Response Syntax .....	88
Response Elements .....	88
Errors .....	88
See Also .....	89
DeleteOtaTask .....	91
Request Syntax .....	91
URI Request Parameters .....	91
Request Body .....	91
Response Syntax .....	91
Response Elements .....	91
Errors .....	91
See Also .....	92
DeleteOtaTaskConfiguration .....	94
Request Syntax .....	94
URI Request Parameters .....	94
Request Body .....	94
Response Syntax .....	94
Response Elements .....	94
Errors .....	94
See Also .....	95
DeleteProvisioningProfile .....	97
Request Syntax .....	97
URI Request Parameters .....	97
Request Body .....	97
Response Syntax .....	97
Response Elements .....	97
Errors .....	97
See Also .....	99

DeregisterAccountAssociation .....	100
Request Syntax .....	100
URI Request Parameters .....	100
Request Body .....	100
Response Syntax .....	101
Response Elements .....	101
Errors .....	101
See Also .....	102
GetAccountAssociation .....	103
Request Syntax .....	103
URI Request Parameters .....	103
Request Body .....	103
Response Syntax .....	103
Response Elements .....	104
Errors .....	106
See Also .....	107
GetCloudConnector .....	108
Request Syntax .....	108
URI Request Parameters .....	108
Request Body .....	108
Response Syntax .....	108
Response Elements .....	109
Errors .....	110
See Also .....	111
GetConnectorDestination .....	112
Request Syntax .....	112
URI Request Parameters .....	112
Request Body .....	112
Response Syntax .....	112
Response Elements .....	113
Errors .....	115
See Also .....	116
GetCredentialLocker .....	117
Request Syntax .....	117
URI Request Parameters .....	117
Request Body .....	117

---

Response Syntax .....	117
Response Elements .....	118
Errors .....	119
See Also .....	120
<b>GetCustomEndpoint .....</b>	<b>121</b>
Request Syntax .....	121
URI Request Parameters .....	121
Request Body .....	121
Response Syntax .....	121
Response Elements .....	121
Errors .....	122
See Also .....	123
<b>GetDefaultEncryptionConfiguration .....</b>	<b>124</b>
Request Syntax .....	124
URI Request Parameters .....	124
Request Body .....	124
Response Syntax .....	124
Response Elements .....	124
Errors .....	125
See Also .....	126
<b>GetDestination .....</b>	<b>128</b>
Request Syntax .....	128
URI Request Parameters .....	128
Request Body .....	128
Response Syntax .....	128
Response Elements .....	129
Errors .....	130
See Also .....	131
<b>GetDeviceDiscovery .....</b>	<b>133</b>
Request Syntax .....	133
URI Request Parameters .....	133
Request Body .....	133
Response Syntax .....	133
Response Elements .....	134
Errors .....	136
See Also .....	137

---

GetEventLogConfiguration .....	138
Request Syntax .....	138
URI Request Parameters .....	138
Request Body .....	138
Response Syntax .....	138
Response Elements .....	138
Errors .....	139
See Also .....	140
GetHubConfiguration .....	142
Request Syntax .....	142
URI Request Parameters .....	142
Request Body .....	142
Response Syntax .....	142
Response Elements .....	142
Errors .....	143
See Also .....	144
GetManagedThing .....	145
Request Syntax .....	145
URI Request Parameters .....	145
Request Body .....	145
Response Syntax .....	145
Response Elements .....	146
Errors .....	152
See Also .....	153
GetManagedThingCapabilities .....	155
Request Syntax .....	155
URI Request Parameters .....	155
Request Body .....	155
Response Syntax .....	155
Response Elements .....	156
Errors .....	157
See Also .....	158
GetManagedThingCertificate .....	159
Request Syntax .....	159
URI Request Parameters .....	159
Request Body .....	159

Response Syntax .....	159
Response Elements .....	159
Errors .....	160
See Also .....	161
GetManagedThingConnectivityData .....	162
Request Syntax .....	162
URI Request Parameters .....	162
Request Body .....	162
Response Syntax .....	162
Response Elements .....	162
Errors .....	163
See Also .....	164
GetManagedThingMetaData .....	166
Request Syntax .....	166
URI Request Parameters .....	166
Request Body .....	166
Response Syntax .....	166
Response Elements .....	167
Errors .....	167
See Also .....	168
GetManagedThingState .....	170
Request Syntax .....	170
URI Request Parameters .....	170
Request Body .....	170
Response Syntax .....	170
Response Elements .....	171
Errors .....	171
See Also .....	172
GetNotificationConfiguration .....	173
Request Syntax .....	173
URI Request Parameters .....	173
Request Body .....	173
Response Syntax .....	173
Response Elements .....	174
Errors .....	175
See Also .....	176

---

GetOtaTask .....	177
Request Syntax .....	177
URI Request Parameters .....	177
Request Body .....	177
Response Syntax .....	177
Response Elements .....	178
Errors .....	181
See Also .....	182
GetOtaTaskConfiguration .....	184
Request Syntax .....	184
URI Request Parameters .....	184
Request Body .....	184
Response Syntax .....	184
Response Elements .....	185
Errors .....	186
See Also .....	187
GetProvisioningProfile .....	188
Request Syntax .....	188
URI Request Parameters .....	188
Request Body .....	188
Response Syntax .....	188
Response Elements .....	189
Errors .....	190
See Also .....	191
GetRuntimeLogConfiguration .....	193
Request Syntax .....	193
URI Request Parameters .....	193
Request Body .....	193
Response Syntax .....	193
Response Elements .....	194
Errors .....	194
See Also .....	195
GetSchemaVersion .....	196
Request Syntax .....	196
URI Request Parameters .....	196
Request Body .....	196

---

Response Syntax .....	196
Response Elements .....	197
Errors .....	198
See Also .....	199
ListAccountAssociations .....	201
Request Syntax .....	201
URI Request Parameters .....	201
Request Body .....	201
Response Syntax .....	201
Response Elements .....	202
Errors .....	202
See Also .....	203
ListCloudConnectors .....	205
Request Syntax .....	205
URI Request Parameters .....	205
Request Body .....	205
Response Syntax .....	206
Response Elements .....	206
Errors .....	207
See Also .....	207
ListConnectorDestinations .....	209
Request Syntax .....	209
URI Request Parameters .....	209
Request Body .....	209
Response Syntax .....	209
Response Elements .....	210
Errors .....	210
See Also .....	211
ListCredentialLockers .....	212
Request Syntax .....	212
URI Request Parameters .....	212
Request Body .....	212
Response Syntax .....	212
Response Elements .....	213
Errors .....	213
See Also .....	214

---

ListDestinations .....	215
Request Syntax .....	215
URI Request Parameters .....	215
Request Body .....	215
Response Syntax .....	215
Response Elements .....	216
Errors .....	216
See Also .....	217
ListDeviceDiscoveries .....	218
Request Syntax .....	218
URI Request Parameters .....	218
Request Body .....	218
Response Syntax .....	219
Response Elements .....	219
Errors .....	219
See Also .....	220
ListDiscoveredDevices .....	222
Request Syntax .....	222
URI Request Parameters .....	222
Request Body .....	222
Response Syntax .....	223
Response Elements .....	223
Errors .....	224
See Also .....	225
ListEventLogConfigurations .....	226
Request Syntax .....	226
URI Request Parameters .....	226
Request Body .....	226
Response Syntax .....	226
Response Elements .....	227
Errors .....	227
See Also .....	228
ListManagedThingAccountAssociations .....	229
Request Syntax .....	229
URI Request Parameters .....	229
Request Body .....	230

---

Response Syntax .....	230
Response Elements .....	230
Errors .....	231
See Also .....	231
ListManagedThings .....	233
Request Syntax .....	233
URI Request Parameters .....	233
Request Body .....	235
Response Syntax .....	235
Response Elements .....	236
Errors .....	236
See Also .....	237
ListManagedThingSchemas .....	238
Request Syntax .....	238
URI Request Parameters .....	238
Request Body .....	239
Response Syntax .....	239
Response Elements .....	239
Errors .....	240
See Also .....	241
ListNotificationConfigurations .....	242
Request Syntax .....	242
URI Request Parameters .....	242
Request Body .....	242
Response Syntax .....	242
Response Elements .....	243
Errors .....	243
See Also .....	244
ListOtaTaskConfigurations .....	245
Request Syntax .....	245
URI Request Parameters .....	245
Request Body .....	245
Response Syntax .....	245
Response Elements .....	246
Errors .....	246
See Also .....	247

---

ListOtaTaskExecutions .....	248
Request Syntax .....	248
URI Request Parameters .....	248
Request Body .....	248
Response Syntax .....	248
Response Elements .....	249
Errors .....	249
See Also .....	250
ListOtaTasks .....	252
Request Syntax .....	252
URI Request Parameters .....	252
Request Body .....	252
Response Syntax .....	252
Response Elements .....	253
Errors .....	253
See Also .....	254
ListProvisioningProfiles .....	255
Request Syntax .....	255
URI Request Parameters .....	255
Request Body .....	255
Response Syntax .....	255
Response Elements .....	256
Errors .....	256
See Also .....	257
ListSchemaVersions .....	259
Request Syntax .....	259
URI Request Parameters .....	259
Request Body .....	260
Response Syntax .....	260
Response Elements .....	261
Errors .....	261
See Also .....	262
ListTagsForResource .....	263
Request Syntax .....	263
URI Request Parameters .....	263
Request Body .....	263

---

Response Syntax .....	263
Response Elements .....	264
Errors .....	264
See Also .....	265
PutDefaultEncryptionConfiguration .....	266
Request Syntax .....	266
URI Request Parameters .....	266
Request Body .....	266
Response Syntax .....	267
Response Elements .....	267
Errors .....	268
See Also .....	269
PutHubConfiguration .....	270
Request Syntax .....	270
URI Request Parameters .....	270
Request Body .....	270
Response Syntax .....	270
Response Elements .....	271
Errors .....	271
See Also .....	272
PutRuntimeLogConfiguration .....	273
Request Syntax .....	273
URI Request Parameters .....	273
Request Body .....	273
Response Syntax .....	274
Response Elements .....	274
Errors .....	274
See Also .....	275
RegisterAccountAssociation .....	276
Request Syntax .....	276
URI Request Parameters .....	276
Request Body .....	276
Response Syntax .....	277
Response Elements .....	277
Errors .....	278
See Also .....	279

RegisterCustomEndpoint .....	280
Request Syntax .....	280
URI Request Parameters .....	280
Request Body .....	280
Response Syntax .....	280
Response Elements .....	280
Errors .....	281
See Also .....	282
ResetRuntimeLogConfiguration .....	283
Request Syntax .....	283
URI Request Parameters .....	283
Request Body .....	283
Response Syntax .....	283
Response Elements .....	283
Errors .....	283
See Also .....	284
SendConnectorEvent .....	286
Request Syntax .....	286
URI Request Parameters .....	288
Request Body .....	288
Response Syntax .....	291
Response Elements .....	291
Errors .....	292
See Also .....	292
SendManagedThingCommand .....	294
Request Syntax .....	294
URI Request Parameters .....	294
Request Body .....	295
Response Syntax .....	296
Response Elements .....	296
Errors .....	296
See Also .....	297
StartAccountAssociationRefresh .....	299
Request Syntax .....	299
URI Request Parameters .....	299
Request Body .....	299

---

Response Syntax .....	299
Response Elements .....	299
Errors .....	300
See Also .....	301
StartDeviceDiscovery .....	302
Request Syntax .....	302
URI Request Parameters .....	302
Request Body .....	302
Response Syntax .....	306
Response Elements .....	307
Errors .....	307
See Also .....	308
TagResource .....	310
Request Syntax .....	310
URI Request Parameters .....	310
Request Body .....	310
Response Syntax .....	311
Response Elements .....	311
Errors .....	311
See Also .....	312
UntagResource .....	313
Request Syntax .....	313
URI Request Parameters .....	313
Request Body .....	313
Response Syntax .....	313
Response Elements .....	314
Errors .....	314
See Also .....	314
UpdateAccountAssociation .....	316
Request Syntax .....	316
URI Request Parameters .....	316
Request Body .....	316
Response Syntax .....	317
Response Elements .....	317
Errors .....	317
See Also .....	318

---

UpdateCloudConnector .....	320
Request Syntax .....	320
URI Request Parameters .....	320
Request Body .....	320
Response Syntax .....	321
Response Elements .....	321
Errors .....	321
See Also .....	322
UpdateConnectorDestination .....	323
Request Syntax .....	323
URI Request Parameters .....	324
Request Body .....	324
Response Syntax .....	325
Response Elements .....	325
Errors .....	325
See Also .....	326
UpdateDestination .....	328
Request Syntax .....	328
URI Request Parameters .....	328
Request Body .....	328
Response Syntax .....	329
Response Elements .....	329
Errors .....	330
See Also .....	330
UpdateEventLogConfiguration .....	332
Request Syntax .....	332
URI Request Parameters .....	332
Request Body .....	332
Response Syntax .....	333
Response Elements .....	333
Errors .....	333
See Also .....	334
UpdateManagedThing .....	335
Request Syntax .....	335
URI Request Parameters .....	336
Request Body .....	336

Response Syntax .....	340
Response Elements .....	340
Errors .....	340
See Also .....	341
UpdateNotificationConfiguration .....	342
Request Syntax .....	342
URI Request Parameters .....	342
Request Body .....	342
Response Syntax .....	343
Response Elements .....	343
Errors .....	343
See Also .....	344
UpdateOtaTask .....	345
Request Syntax .....	345
URI Request Parameters .....	345
Request Body .....	345
Response Syntax .....	346
Response Elements .....	346
Errors .....	346
See Also .....	347
<b>Data Types .....</b>	<b>348</b>
AbortConfigCriteria .....	351
Contents .....	351
See Also .....	352
AccountAssociationItem .....	353
Contents .....	353
See Also .....	355
AuthConfig .....	356
Contents .....	356
See Also .....	356
AuthConfigUpdate .....	357
Contents .....	357
See Also .....	357
AuthMaterial .....	358
Contents .....	358
See Also .....	358

---

CapabilityAction .....	359
Contents .....	359
See Also .....	360
CapabilityReport .....	361
Contents .....	361
See Also .....	361
CapabilityReportCapability .....	363
Contents .....	363
See Also .....	364
CapabilityReportEndpoint .....	366
Contents .....	366
See Also .....	367
CapabilitySchemaltem .....	368
Contents .....	368
See Also .....	369
CommandCapability .....	370
Contents .....	370
See Also .....	371
CommandEndpoint .....	372
Contents .....	372
See Also .....	372
ConfigurationError .....	373
Contents .....	373
See Also .....	373
ConfigurationStatus .....	374
Contents .....	374
See Also .....	374
ConnectorDestinationSummary .....	375
Contents .....	375
See Also .....	376
ConnectorItem .....	377
Contents .....	377
See Also .....	378
CredentialLockerSummary .....	379
Contents .....	379
See Also .....	380

---

DestinationSummary .....	381
Contents .....	381
See Also .....	382
Device .....	383
Contents .....	383
See Also .....	384
DeviceDiscoverySummary .....	385
Contents .....	385
See Also .....	385
DiscoveredDeviceSummary .....	387
Contents .....	387
See Also .....	389
EndpointConfig .....	390
Contents .....	390
See Also .....	390
EventLogConfigurationSummary .....	391
Contents .....	391
See Also .....	392
ExponentialRolloutRate .....	393
Contents .....	393
See Also .....	393
GeneralAuthorizationName .....	395
Contents .....	395
See Also .....	395
GeneralAuthorizationUpdate .....	396
Contents .....	396
See Also .....	396
LambdaConfig .....	397
Contents .....	397
See Also .....	397
ManagedThingAssociation .....	398
Contents .....	398
See Also .....	399
ManagedThingSchemaListItem .....	400
Contents .....	400
See Also .....	400

ManagedThingSummary .....	402
Contents .....	402
See Also .....	407
MatterCapabilityReport .....	408
Contents .....	408
See Also .....	408
MatterCapabilityReportAttribute .....	410
Contents .....	410
See Also .....	410
MatterCapabilityReportCluster .....	412
Contents .....	412
See Also .....	414
MatterCapabilityReportEndpoint .....	416
Contents .....	416
See Also .....	417
MatterCluster .....	419
Contents .....	419
See Also .....	420
MatterEndpoint .....	421
Contents .....	421
See Also .....	421
NotificationConfigurationSummary .....	422
Contents .....	422
See Also .....	422
OAuthConfig .....	423
Contents .....	423
See Also .....	424
OAuthUpdate .....	425
Contents .....	425
See Also .....	425
OtaTaskAbortConfig .....	426
Contents .....	426
See Also .....	426
OtaTaskConfigurationSummary .....	427
Contents .....	427
See Also .....	427

---

OtaTaskExecutionRetryConfig .....	429
Contents .....	429
See Also .....	429
OtaTaskExecutionRolloutConfig .....	430
Contents .....	430
See Also .....	430
OtaTaskExecutionSummaries .....	431
Contents .....	431
See Also .....	431
OtaTaskExecutionSummary .....	432
Contents .....	432
See Also .....	433
OtaTaskSchedulingConfig .....	434
Contents .....	434
See Also .....	434
OtaTaskSummary .....	436
Contents .....	436
See Also .....	437
OtaTaskTimeoutConfig .....	438
Contents .....	438
See Also .....	438
ProactiveRefreshTokenRenewal .....	439
Contents .....	439
See Also .....	439
ProvisioningProfileSummary .....	440
Contents .....	440
See Also .....	441
PushConfig .....	442
Contents .....	442
See Also .....	442
RetryConfigCriteria .....	443
Contents .....	443
See Also .....	443
RolloutRateIncreaseCriteria .....	444
Contents .....	444
See Also .....	444

---

RuntimeLogConfigurations .....	445
Contents .....	445
See Also .....	446
ScheduleMaintenanceWindow .....	447
Contents .....	447
See Also .....	447
SchemaVersionListItem .....	448
Contents .....	448
See Also .....	449
SecretsManager .....	450
Contents .....	450
See Also .....	450
StateCapability .....	451
Contents .....	451
See Also .....	452
StateEndpoint .....	453
Contents .....	453
See Also .....	453
TaskProcessingDetails .....	454
Contents .....	454
See Also .....	455
WiFiSimpleSetupConfiguration .....	456
Contents .....	456
See Also .....	456
<b>Common Parameters .....</b>	<b>458</b>
<b>Common Error Types .....</b>	<b>461</b>

# Welcome

Managed integrations is a feature of AWS IoT Device Management that enables developers to quickly build innovative IoT solutions. Customers can use managed integrations to automate device setup workflows and support interoperability across many devices, regardless of device vendor or connectivity protocol. This allows developers to use a single user-interface to control, manage, and operate a range of devices.

This document was last published on June 26, 2026.

# Actions

The following actions are supported:

- [CreateAccountAssociation](#)
- [CreateCloudConnector](#)
- [CreateConnectorDestination](#)
- [CreateCredentialLocker](#)
- [CreateDestination](#)
- [CreateEventLogConfiguration](#)
- [CreateManagedThing](#)
- [CreateNotificationConfiguration](#)
- [CreateOtaTask](#)
- [CreateOtaTaskConfiguration](#)
- [CreateProvisioningProfile](#)
- [DeleteAccountAssociation](#)
- [DeleteCloudConnector](#)
- [DeleteConnectorDestination](#)
- [DeleteCredentialLocker](#)
- [DeleteDestination](#)
- [DeleteEventLogConfiguration](#)
- [DeleteManagedThing](#)
- [DeleteNotificationConfiguration](#)
- [DeleteOtaTask](#)
- [DeleteOtaTaskConfiguration](#)
- [DeleteProvisioningProfile](#)
- [DeregisterAccountAssociation](#)
- [GetAccountAssociation](#)
- [GetCloudConnector](#)
- [GetConnectorDestination](#)
- [GetCredentialLocker](#)

- [GetCustomEndpoint](#)
- [GetDefaultEncryptionConfiguration](#)
- [GetDestination](#)
- [GetDeviceDiscovery](#)
- [GetEventLogConfiguration](#)
- [GetHubConfiguration](#)
- [GetManagedThing](#)
- [GetManagedThingCapabilities](#)
- [GetManagedThingCertificate](#)
- [GetManagedThingConnectivityData](#)
- [GetManagedThingMetaData](#)
- [GetManagedThingState](#)
- [GetNotificationConfiguration](#)
- [GetOtaTask](#)
- [GetOtaTaskConfiguration](#)
- [GetProvisioningProfile](#)
- [GetRuntimeLogConfiguration](#)
- [GetSchemaVersion](#)
- [ListAccountAssociations](#)
- [ListCloudConnectors](#)
- [ListConnectorDestinations](#)
- [ListCredentialLockers](#)
- [ListDestinations](#)
- [ListDeviceDiscoveries](#)
- [ListDiscoveredDevices](#)
- [ListEventLogConfigurations](#)
- [ListManagedThingAccountAssociations](#)
- [ListManagedThings](#)
- [ListManagedThingSchemas](#)
- [ListNotificationConfigurations](#)

- [ListOtaTaskConfigurations](#)
- [ListOtaTaskExecutions](#)
- [ListOtaTasks](#)
- [ListProvisioningProfiles](#)
- [ListSchemaVersions](#)
- [ListTagsForResource](#)
- [PutDefaultEncryptionConfiguration](#)
- [PutHubConfiguration](#)
- [PutRuntimeLogConfiguration](#)
- [RegisterAccountAssociation](#)
- [RegisterCustomEndpoint](#)
- [ResetRuntimeLogConfiguration](#)
- [SendConnectorEvent](#)
- [SendManagedThingCommand](#)
- [StartAccountAssociationRefresh](#)
- [StartDeviceDiscovery](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateAccountAssociation](#)
- [UpdateCloudConnector](#)
- [UpdateConnectorDestination](#)
- [UpdateDestination](#)
- [UpdateEventLogConfiguration](#)
- [UpdateManagedThing](#)
- [UpdateNotificationConfiguration](#)
- [UpdateOtaTask](#)

# CreateAccountAssociation

Creates a new account association via the destination id.

## Request Syntax

```
POST /account-associations HTTP/1.1
Content-type: application/json

{
  "ClientToken": "string",
  "ConnectorDestinationId": "string",
  "Description": "string",
  "GeneralAuthorization": {
    "AuthMaterialName": "string"
  },
  "Name": "string",
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_-]+

Required: No

### ConnectorDestinationId

The identifier of the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

Required: Yes

### Description

A description of the account association request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: [A-Za-z0-9- \_ ]+

Required: No

### GeneralAuthorization

The General Authorization reference by authorization material name.

Type: [GeneralAuthorizationName](#) object

Required: No

### Name

The name of the destination for the new account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9- \_ ]+

Required: No

## Tags

A set of key/value pairs that are used to manage the account association.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "AccountAssociationId": "string",
  "Arn": "string",
  "AssociationState": "string",
  "OAuthAuthorizationUrl": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### [AccountAssociationId](#)

The identifier for the account association request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

## Arn

The Amazon Resource Name (ARN) of the account association.

Type: String

Length Constraints: Minimum length of 67. Maximum length of 1011.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:account-association/[0-9a-zA-Z-]+`

## AssociationState

The current state of the account association request.

Type: String

Valid Values: ASSOCIATION\_IN\_PROGRESS | ASSOCIATION\_FAILED | ASSOCIATION\_SUCCEEDED | ASSOCIATION\_DELETING | REFRESH\_TOKEN\_EXPIRED

## OAuthAuthorizationUrl

Third-party IoT platform OAuth authorization server URL backed with all the required parameters to perform end-user authentication. This field will be empty when using General Authorization flows that do not require OAuth.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: `$(https):\\/.*`

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateCloudConnector

Creates a C2C (cloud-to-cloud) connector.

## Request Syntax

```
POST /cloud-connectors HTTP/1.1
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "Description": "string",
  "EndpointConfig": {
    "lambda": {
      "arn": "string"
    }
  },
  "EndpointType": "string",
  "Name": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_-]+

Required: No

### Description

A description of the C2C connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\- ]+

Required: No

### EndpointConfig

The configuration details for the cloud connector endpoint, including connection parameters and authentication requirements.

Type: [EndpointConfig](#) object

Required: Yes

### EndpointType

The type of endpoint used for the cloud connector, which defines how the connector communicates with external services.

Type: String

Valid Values: LAMBDA

Required: No

### Name

The display name of the C2C connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: Yes

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "Id": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### Id

The unique identifier assigned to the newly created cloud connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

## InternalServerErrorException

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateConnectorDestination

Create a connector destination for connecting a cloud-to-cloud (C2C) connector to the customer's AWS account.

## Request Syntax

```
POST /connector-destinations HTTP/1.1
Content-type: application/json

{
  "AuthConfig": {
    "GeneralAuthorization": [
      {
        "AuthMaterialName": "string",
        "SecretsManager": {
          "arn": "string",
          "versionId": "string"
        }
      }
    ],
    "oAuth": {
      "authUrl": "string",
      "oAuthCompleteRedirectUrl": "string",
      "proactiveRefreshTokenRenewal": {
        "DaysBeforeRenewal": number,
        "enabled": boolean
      },
      "scope": "string",
      "tokenEndpointAuthenticationScheme": "string",
      "tokenUrl": "string"
    }
  },
  "AuthType": "string",
  "ClientToken": "string",
  "CloudConnectorId": "string",
  "Description": "string",
  "Name": "string",
  "SecretsManager": {
    "arn": "string",
    "versionId": "string"
  }
}
```

```
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### AuthConfig

The authentication configuration details for the connector destination, including OAuth settings and other authentication parameters.

Type: [AuthConfig](#) object

Required: Yes

### AuthType

The authentication type used for the connector destination, which determines how credentials and access are managed.

Type: String

Valid Values: OAUTH

Required: No

### ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9=_-]+`

Required: No

### CloudConnectorId

The identifier of the C2C connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

Required: Yes

### Description

A description of the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\- ]+

Required: No

### Name

The display name of the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9- \_ ]+

Required: No

### SecretsManager

The AWS Secrets Manager configuration used to securely store and manage sensitive information for the connector destination.

Type: [SecretsManager](#) object

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "Id": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### Id

The identifier of the C2C connector destination creation request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

## InternalServerErrorException

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateCredentialLocker

Create a credential locker.

## Note

This operation will not trigger the creation of all the manufacturing resources.

## Request Syntax

```
POST /credential-lockers HTTP/1.1
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "Name": "string",
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_-]+

Required: No

### Name

The name of the credential locker.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

### Tags

A set of key/value pairs that are used to manage the credential locker.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json
```

```
{
  "Arn": "string",
  "CreatedAt": number,
  "Id": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### Arn

The Amazon Resource Name (ARN) of the credential locker.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 1011.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:credential-locker/[0-9a-zA-Z-]+`

### CreatedAt

The timestamp value of when the credential locker request occurred.

Type: Timestamp

### Id

The identifier of the credential locker creation request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9]*`

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

## InternalServerErrorException

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## ServiceQuotaExceededException

The service quota has been exceeded for this request.

HTTP Status Code: 402

## ServiceUnavailableException

The service is temporarily unavailable.

HTTP Status Code: 503

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateDestination

Create a notification destination such as Kinesis Data Streams that receive events and notifications from Managed integrations. Managed integrations uses the destination to determine where to deliver notifications.

## Request Syntax

```
POST /destinations HTTP/1.1
Content-type: application/json

{
  "ClientToken": "string",
  "DeliveryDestinationArn": "string",
  "DeliveryDestinationType": "string",
  "Description": "string",
  "Name": "string",
  "RoleArn": "string",
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_- ]+

Required: No

### DeliveryDestinationArn

The Amazon Resource Name (ARN) of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws:[0-9a-zA-Z]+:[0-9a-zA-Z-]+:[0-9]+:[0-9a-zA-Z]+/[0-9a-zA-Z.\_- ]+

Required: Yes

### DeliveryDestinationType

The destination type for the customer-managed destination.

Type: String

Valid Values: KINESIS

Required: Yes

### Description

The description of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\- ]+

Required: No

### Name

The name of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

Required: Yes

### RoleArn

The Amazon Resource Name (ARN) of the delivery destination role.

Type: String

Required: Yes

### Tags

*This parameter has been deprecated.*

A set of key/value pairs that are used to manage the destination.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json
```

```
{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

## Name

The name of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateEventLogConfiguration

Set the event log configuration for the account, resource type, or specific resource.

## Request Syntax

```
POST /event-log-configurations HTTP/1.1
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "EventLogLevel": "string",
  "ResourceId": "string",
  "ResourceType": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_-]+

Required: No

### EventLogLevel

The logging level for the event log configuration.

Type: String

Valid Values: DEBUG | ERROR | INFO | WARN

Required: Yes

### ResourceId

The identifier of the resource for the event log configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: `[a-zA-Z0-9+]*`

Required: No

### ResourceType

The type of resource for the event log configuration.

Type: String

Pattern: `[*]$\^(managed-thing|credential-locker|provisioning-profile|ota-task|account-association)`

Required: Yes

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "Id": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

## Id

The identifier of the event log configuration request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ServiceQuotaExceededException**

The service quota has been exceeded for this request.

HTTP Status Code: 402

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateManagedThing

Creates a managed thing. A managed thing contains the device identifier, protocol supported, and capabilities of the device in a data model format defined by Managed integrations.

## Request Syntax

```
POST /managed-things HTTP/1.1
Content-type: application/json
```

```
{
  "AuthenticationMaterial": "string",
  "AuthenticationMaterialType": "string",
  "Brand": "string",
  "Capabilities": "string",
  "CapabilityReport": {
    "endpoints": [
      {
        "capabilities": [
          {
            "actions": [ "string" ],
            "events": [ "string" ],
            "id": "string",
            "name": "string",
            "properties": [ "string" ],
            "version": "string"
          }
        ],
        "deviceTypes": [ "string" ],
        "id": "string"
      }
    ],
    "nodeId": "string",
    "version": "string"
  },
  "CapabilitySchemas": [
    {
      "CapabilityId": "string",
      "ExtrinsicId": "string",
      "ExtrinsicVersion": number,
      "Format": "string",
      "Schema": JSON value
    }
  ]
}
```

```
],
  "Classification": "string",
  "ClientToken": "string",
  "CredentialLockerId": "string",
  "MetaData": {
    "string" : "string"
  },
  "Model": "string",
  "Name": "string",
  "Owner": "string",
  "Role": "string",
  "SerialNumber": "string",
  "Tags": {
    "string" : "string"
  },
  "WiFiSimpleSetupConfiguration": {
    "EnableAsProvisionee": boolean,
    "EnableAsProvisioner": boolean,
    "TimeoutInMinutes": number
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### AuthenticationMaterial

The authentication material defining the device connectivity setup requests. The authorization materials used are the device bar code.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: `[0-9A-Za-z!#$%&()*\+\-;<=>?@^_`{|}~\/: {} , \"]+`

Required: Yes

## AuthenticationMaterialType

The type of authentication material used for device connectivity setup requests.

Type: String

Valid Values: CUSTOM\_PROTOCOL\_QR\_BAR\_CODE | WIFI\_SETUP\_QR\_BAR\_CODE  
| ZWAVE\_QR\_BAR\_CODE | ZIGBEE\_QR\_BAR\_CODE | DISCOVERED\_DEVICE |  
PRE\_ONBOARDED\_CLOUD

Required: Yes

## Brand

The brand of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9- \_ ]+

Required: No

## Capabilities

*This parameter has been deprecated.*

The capabilities of the device such as light bulb.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9\s'\x{0022}, . : \\ \\/ { \$ } \ [ \ ] = \_ \ - \ + ]+

Required: No

## CapabilityReport

A report of the capabilities for the managed thing.

Type: [CapabilityReport](#) object

Required: No

## CapabilitySchemas

The capability schemas that define the functionality and features supported by the managed thing, including device capabilities and their associated properties.

Type: Array of [CapabilitySchemaItem](#) objects

Array Members: Minimum number of 0 items. Maximum number of 40 items.

Required: No

## Classification

The classification of the managed thing such as light bulb or thermostat.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

## ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_- ]+

Required: No

## CredentialLockerId

The identifier of the credential for the managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

Required: No

## MetaData

The metadata for the managed thing.

### Note

The managedThing metadata parameter is used for associating attributes with a managedThing that can be used for grouping over-the-air (OTA) tasks. Name value pairs in metadata can be used in the OtaTargetQueryString parameter for the CreateOtaTask API operation.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 0. Maximum length of 128.

Key Pattern: `.*[a-zA-Z0-9_.,@/:#-]+.*`

Value Length Constraints: Minimum length of 0. Maximum length of 800.

Value Pattern: `.*[a-zA-Z0-9_.,@/:#-]*.*`

Required: No

## Model

The model of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[A-Za-z0-9-_ ]+`

Required: No

## Name

The name of the managed thing representing the physical device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} . _- ]+`

Required: No

### Owner

Owner of the device, usually an indication of whom the device belongs to. This value should not contain personal identifiable information.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9_.,@- ]+`

Required: No

### Role

The type of device used. This will be the hub controller, cloud device, or AWS IoT device.

Type: String

Valid Values: CONTROLLER | DEVICE

Required: Yes

### SerialNumber

The serial number of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[A-Za-z0-9-_ ]+`

Required: No

### Tags

A set of key/value pairs that are used to manage the managed thing.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

### WiFiSimpleSetupConfiguration

The Wi-Fi Simple Setup configuration for the managed thing, which defines provisioning capabilities and timeout settings.

Type: [WiFiSimpleSetupConfiguration](#) object

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "Arn": "string",
  "CreatedAt": number,
  "Id": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### Arn

The Amazon Resource Name (ARN) of the managed thing.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 1011.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:managed-thing/([0-9a-zA-Z:_-]+)`

### **CreatedAt**

The timestamp value of when the device creation request occurred.

Type: Timestamp

### **Id**

The id of the managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9:_-]*`

## **Errors**

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# CreateNotificationConfiguration

Creates a notification configuration. A configuration is a connection between an event type and a destination that you have already created.

## Request Syntax

```
POST /notification-configurations HTTP/1.1
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "DestinationName": "string",
  "EventType": "string",
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_-]+

Required: No

## DestinationName

The name of the destination for the notification configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

Required: Yes

## EventType

The type of event triggering a device notification to the customer-managed destination.

Type: String

Valid Values: `DEVICE_COMMAND | DEVICE_COMMAND_REQUEST | DEVICE_DISCOVERY_STATUS | DEVICE_EVENT | DEVICE_LIFE_CYCLE | DEVICE_STATE | DEVICE_OTA | DEVICE_WSS | CONNECTOR_ASSOCIATION | ACCOUNT_ASSOCIATION | CONNECTOR_ERROR_REPORT`

Required: Yes

## Tags

*This parameter has been deprecated.*

A set of key/value pairs that are used to manage the notification configuration.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 201
```

```
Content-type: application/json

{
  "EventType": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### EventType

The type of event triggering a device notification to the customer-managed destination.

Type: String

Valid Values: DEVICE\_COMMAND | DEVICE\_COMMAND\_REQUEST |  
DEVICE\_DISCOVERY\_STATUS | DEVICE\_EVENT | DEVICE\_LIFE\_CYCLE |  
DEVICE\_STATE | DEVICE\_OTA | DEVICE\_WSS | CONNECTOR\_ASSOCIATION |  
ACCOUNT\_ASSOCIATION | CONNECTOR\_ERROR\_REPORT

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateOtaTask

Create an over-the-air (OTA) task to target a device.

## Request Syntax

```
POST /ota-tasks HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "Description": "string",
  "OtaMechanism": "string",
  "OtaSchedulingConfig": {
    "EndBehavior": "string",
    "EndTime": "string",
    "MaintenanceWindows": [
      {
        "DurationInMinutes": number,
        "StartTime": "string"
      }
    ],
    "StartTime": "string"
  },
  "OtaTargetQueryString": "string",
  "OtaTaskExecutionRetryConfig": {
    "RetryConfigCriteria": [
      {
        "FailureType": "string",
        "MinNumberOfRetries": number
      }
    ]
  },
  "OtaType": "string",
  "Protocol": "string",
  "S3Url": "string",
  "Tags": {
    "string" : "string"
  },
  "Target": [ "string" ],
  "TaskConfigurationId": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_- ]+

Required: No

### Description

The description of the over-the-air (OTA) task.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\- ]+

Required: No

### OtaMechanism

The deployment mechanism for the over-the-air (OTA) task.

Type: String

Valid Values: PUSH

Required: No

## OtaSchedulingConfig

Over-the-air (OTA) task scheduling config.

Type: [OtaTaskSchedulingConfig](#) object

Required: No

## OtaTargetQueryString

The query string to add things to the thing group.

Type: String

Required: No

## OtaTaskExecutionRetryConfig

Over-the-air (OTA) task retry config.

Type: [OtaTaskExecutionRetryConfig](#) object

Required: No

## OtaType

The frequency type for the over-the-air (OTA) task.

Type: String

Valid Values: ONE\_TIME | CONTINUOUS

Required: Yes

## Protocol

The connection protocol the over-the-air (OTA) task uses to update the device.

Type: String

Valid Values: HTTP

Required: No

## S3Url

The URL to the Amazon S3 bucket where the over-the-air (OTA) task is stored.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: Yes

### Tags

A set of key/value pairs that are used to manage the over-the-air (OTA) task.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

### Target

The device targeted for the over-the-air (OTA) task.

Type: Array of strings

Required: No

### TaskConfigurationId

The identifier for the over-the-air (OTA) task configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

Required: No

## Response Syntax

```
HTTP/1.1 201
```

```
Content-type: application/json
```

```
{  
  "Description": "string",  
  "TaskArn": "string",  
  "TaskId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### Description

A description of the over-the-air (OTA) task.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\-\ ]+

### TaskArn

The Amazon Resource Name (ARN) of the over-the-air (OTA) task.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 1011.

Pattern: arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:ota-task/  
[0-9a-zA-Z-]+

### TaskId

The identifier of the over-the-air (OTA) task.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateOtaTaskConfiguration

Create a configuration for the over-the-air (OTA) task.

## Request Syntax

```
POST /ota-task-configurations HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "Description": "string",
  "Name": "string",
  "PushConfig": {
    "AbortConfig": {
      "AbortConfigCriteriaList": [
        {
          "Action": "string",
          "FailureType": "string",
          "MinNumberOfExecutedThings": number,
          "ThresholdPercentage": number
        }
      ]
    },
    "RolloutConfig": {
      "ExponentialRolloutRate": {
        "BaseRatePerMinute": number,
        "IncrementFactor": number,
        "RateIncreaseCriteria": {
          "numberOfNotifiedThings": number,
          "numberOfSucceededThings": number
        }
      },
      "MaximumPerMinute": number
    },
    "TimeoutConfig": {
      "InProgressTimeoutInMinutes": number
    }
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_- ]+

Required: No

### Description

A description of the over-the-air (OTA) task configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\- ]+

Required: No

### Name

The name of the over-the-air (OTA) task.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

## PushConfig

Describes the type of configuration used for the over-the-air (OTA) task.

Type: [PushConfig](#) object

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "TaskConfigurationId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### TaskConfigurationId

The identifier of the over-the-air (OTA) task configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# CreateProvisioningProfile

Create a provisioning profile for executing device provisioning flows. The provisioning profile is a document that defines the set of resources and policies applied to a device during the provisioning process.

## Request Syntax

```
POST /provisioning-profiles HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "CaCertificate": "string",
  "ClaimCertificate": "string",
  "ClientToken": "string",
  "Name": "string",
  "ProvisioningType": "string",
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### CaCertificate

The body of the PEM-encoded certificate authority (CA) certificate.

Type: String

Pattern: -----BEGIN CERTIFICATE-----.\*(\.|\n)\*-----END CERTIFICATE-----\n?

Required: No

## ClaimCertificate

The body of the PEM-encoded claim certificate. If a claim certificate is provided, it will be used for the provisioning profile. Otherwise, a claim certificate will be generated.

Type: String

Required: No

## ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_- ]+

Required: No

## Name

The name of the provisioning profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: [0-9A-Za-z\_- ]+

Required: No

## ProvisioningType

The type of provisioning workflow the device uses for onboarding to IoT managed integrations.

Type: String

Valid Values: FLEET\_PROVISIONING | JITR

Required: Yes

## Tags

A set of key/value pairs that are used to manage the provisioning profile.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "Arn": "string",
  "ClaimCertificate": "string",
  "ClaimCertificatePrivateKey": "string",
  "Id": "string",
  "Name": "string",
  "ProvisioningType": "string",
  "Status": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### Arn

The Amazon Resource Name (ARN) of the provisioning profile.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 64.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:provisioning-profile/[0-9a-zA-Z-]+`

### ClaimCertificate

The body of the PEM-encoded claim certificate.

Type: String

### ClaimCertificatePrivateKey

The private key of the claim certificate. This may be stored securely on the device for validating the connection endpoint with IoT managed integrations using the public key.

Type: String

### Id

The identifier of the provisioning profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9-_]+`

### Name

The name of the provisioning profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `[0-9A-Za-z_-]+`

### ProvisioningType

The type of provisioning workflow the device uses for onboarding to IoT managed integrations.

Type: String

Valid Values: `FLEET_PROVISIONING` | `JITR`

### Status

The status of a provisioning profile.

Type: String

Valid Values: CREATE\_IN\_PROGRESS | CREATE\_FAILED | CREATED | DELETE\_IN\_PROGRESS | DELETE\_FAILED

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteAccountAssociation

Remove a third-party account association for an end user.

## Note

You must first call the `DeregisterAccountAssociation` to remove the connection between the managed thing and the third-party account before calling the `DeleteAccountAssociation` API.

## Request Syntax

```
DELETE /account-associations/AccountAssociationId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### AccountAssociationId

The unique identifier of the account association to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteCloudConnector

Delete a cloud connector.

## Request Syntax

```
DELETE /cloud-connectors/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The identifier of the cloud connector.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_-]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

## **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

## **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

## **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteConnectorDestination

Delete a connector destination linked to a cloud-to-cloud (C2C) connector.

## Note

Deletion can't be done if the account association has used this connector destination.

## Request Syntax

```
DELETE /connector-destinations/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The identifier of the connector destination.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteCredentialLocker

Delete a credential locker.

## Note

This operation can't be undone and any existing device won't be able to use IoT managed integrations.

## Request Syntax

```
DELETE /credential-lockers/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The identifier of the credential locker.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9]*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteDestination

Deletes a notification destination specified by name.

## Request Syntax

```
DELETE /destinations/Name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Name

The id of the customer-managed destination.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

## **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

## **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteEventLogConfiguration

Delete an event log configuration.

## Request Syntax

```
DELETE /event-log-configurations/Id HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Id

The identifier of the event log configuration.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

## **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

## **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteManagedThing

Delete a managed thing. For direct-connected and hub-connected devices connecting with Managed integrations via a controller, all of the devices connected to it will have their status changed to PENDING. It is not possible to remove a cloud-to-cloud device.

## Request Syntax

```
DELETE /managed-things/Identifier?Force=Force HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Force

When set to TRUE, a forceful deletion of the managed thing will occur. When set to FALSE, a non-forceful deletion of the managed thing will occur.

### Identifier

The id of the managed thing.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9: \_-]\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 204
```

## Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteNotificationConfiguration

Deletes a notification configuration.

## Request Syntax

```
DELETE /notification-configurations/EventType HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### EventType

The type of event triggering a device notification to the customer-managed destination.

Valid Values: DEVICE\_COMMAND | DEVICE\_COMMAND\_REQUEST |  
DEVICE\_DISCOVERY\_STATUS | DEVICE\_EVENT | DEVICE\_LIFE\_CYCLE |  
DEVICE\_STATE | DEVICE\_OTA | DEVICE\_WSS | CONNECTOR\_ASSOCIATION |  
ACCOUNT\_ASSOCIATION | CONNECTOR\_ERROR\_REPORT

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

## **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

## **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteOtaTask

Delete the over-the-air (OTA) task.

## Request Syntax

```
DELETE /ota-tasks/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The identifier of the over-the-air (OTA) task.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

## **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## **LimitExceededException**

The request exceeds a service limit or quota. Adjust your request parameters and try again.

HTTP Status Code: 410

## **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

## **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteOtaTaskConfiguration

Delete the over-the-air (OTA) task configuration.

## Request Syntax

```
DELETE /ota-task-configurations/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The identifier of the over-the-air (OTA) task configuration.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 204
```

## Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

## **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

## **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteProvisioningProfile

Delete a provisioning profile.

## Request Syntax

```
DELETE /provisioning-profiles/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The id of the provisioning profile.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_-]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

**AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

**ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

**InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

**ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

**ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

**ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

**UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

**ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeregisterAccountAssociation

Deregister an account association from a managed thing.

## Request Syntax

```
PUT /managed-thing-associations/deregister HTTP/1.1
Content-type: application/json
```

```
{
  "AccountAssociationId": "string",
  "ManagedThingId": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### [AccountAssociationId](#)

The unique identifier of the account association to be deregistered.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

Required: Yes

### [ManagedThingId](#)

The identifier of the managed thing to be deregistered from the account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9:_-]*`

Required: Yes

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### AccessDeniedException

User is not authorized.

HTTP Status Code: 403

### ConflictException

There is a conflict with the request.

HTTP Status Code: 409

### InternalServerError

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

### ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetAccountAssociation

Get an account association for an AWS account linked to a customer-managed destination.

## Request Syntax

```
GET /account-associations/AccountAssociationId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### AccountAssociationId

The unique identifier of the account association to retrieve.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9a-zA-Z]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AccountAssociationId": "string",
  "Arn": "string",
  "AssociationState": "string",
  "ConnectorDestinationId": "string",
  "Description": "string",
  "ErrorMessage": "string",
  "GeneralAuthorization": {
    "AuthMaterialName": "string"
```

```
},  
  "Name": "string",  
  "OAuthAuthorizationUrl": "string",  
  "Tags": {  
    "string" : "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### AccountAssociationId

The unique identifier of the retrieved account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

### Arn

The Amazon Resource Name (ARN) of the account association.

Type: String

Length Constraints: Minimum length of 67. Maximum length of 1011.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:account-association/[0-9a-zA-Z]+`

### AssociationState

The current status state for the account association.

Type: String

Valid Values: ASSOCIATION\_IN\_PROGRESS | ASSOCIATION\_FAILED | ASSOCIATION\_SUCCEEDED | ASSOCIATION\_DELETING | REFRESH\_TOKEN\_EXPIRED

## ConnectorDestinationId

The identifier of the connector destination associated with this account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_ ]+

## Description

The description of the account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: [A-Za-z0-9-\_ ]+

## ErrorMessage

The error message explaining the current account association error.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: [A-Za-z0-9-\_ ]+

## GeneralAuthorization

The General Authorization reference by authorization material name.

Type: [GeneralAuthorizationName](#) object

## Name

The name of the account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

## OAuthAuthorizationUrl

Third party IoT platform OAuth authorization server URL backed with all the required parameters to perform end-user authentication. This field will be empty when using General Authorization flows that do not require OAuth.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: `$|^(https):\\|\\. *`

## Tags

A set of key/value pairs that are used to manage the account association.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetCloudConnector

Get configuration details for a cloud connector.

## Request Syntax

```
GET /cloud-connectors/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The identifier of the C2C connector.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_-]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Description": "string",
  "EndpointConfig": {
    "lambda": {
      "arn": "string"
    }
  },
  "EndpointType": "string",
  "Id": "string",
```

```
"Name": "string",  
"Type": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Description

A description of the C2C connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\- ]+

### EndpointConfig

The configuration details for the cloud connector endpoint, including connection parameters and authentication requirements.

Type: [EndpointConfig](#) object

### EndpointType

The type of endpoint used for the cloud connector, which defines how the connector communicates with external services.

Type: String

Valid Values: LAMBDA

### Id

The unique identifier of the cloud connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_ ]+

## Name

The display name of the C2C connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

## Type

The type of cloud connector created.

Type: String

Valid Values: LISTED | UNLISTED

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetConnectorDestination

Get connector destination details linked to a cloud-to-cloud (C2C) connector.

## Request Syntax

```
GET /connector-destinations/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The identifier of the C2C connector destination.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AuthConfig": {
    "GeneralAuthorization": [
      {
        "AuthMaterialName": "string",
        "SecretsManager": {
          "arn": "string",
          "versionId": "string"
        }
      }
    ]
  }
}
```

```
    ],
    "oAuth": {
      "authUrl": "string",
      "oAuthCompleteRedirectUrl": "string",
      "proactiveRefreshTokenRenewal": {
        "DaysBeforeRenewal": number,
        "enabled": boolean
      },
      "scope": "string",
      "tokenEndpointAuthenticationScheme": "string",
      "tokenUrl": "string"
    }
  },
  "AuthType": "string",
  "CloudConnectorId": "string",
  "Description": "string",
  "Id": "string",
  "Name": "string",
  "OAuthCompleteRedirectUrl": "string",
  "SecretsManager": {
    "arn": "string",
    "versionId": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [AuthConfig](#)

The authentication configuration details for the connector destination, including OAuth settings and other authentication parameters.

Type: [AuthConfig](#) object

### [AuthType](#)

The authentication type used for the connector destination, which determines how credentials and access are managed.

Type: String

Valid Values: OAUTH

### CloudConnectorId

The identifier of the C2C connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

### Description

A description of the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\- ]+

### Id

The unique identifier of the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

### Name

The display name of the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9- \_ ]+

### OAuthCompleteRedirectUrl

The URL where users are redirected after completing the OAuth authorization process for the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: (http|https)://.\*

### SecretsManager

The AWS Secrets Manager configuration used to securely store and manage sensitive information for the connector destination.

Type: [SecretsManager](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetCredentialLocker

Get information on an existing credential locker

## Request Syntax

```
GET /credential-lockers/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The identifier of the credential locker.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9]*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "Arn": "string",  
  "CreatedAt": number,  
  "Id": "string",  
  "Name": "string",  
  "Tags": {  
    "string" : "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Arn

The Amazon Resource Name (ARN) of the credential locker.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 1011.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:credential-locker/[0-9a-zA-Z-]+`

### CreatedAt

The timestamp value of when the credential locker request occurred.

Type: Timestamp

### Id

The identifier of the credential locker.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9]*`

### Name

The name of the credential locker.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[A-Za-z0-9- _ ]+`

### Tags

A set of key/value pairs that are used to manage the credential locker.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetCustomEndpoint

Returns the IoT managed integrations custom endpoint.

## Request Syntax

```
GET /custom-endpoint HTTP/1.1
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "EndpointAddress": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [EndpointAddress](#)

The IoT managed integrations dedicated, custom endpoint for the device to route traffic through.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [A-Za-z0-9.\_@- ]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### AccessDeniedException

User is not authorized.

HTTP Status Code: 403

### InternalServerError

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

### ServiceUnavailableException

The service is temporarily unavailable.

HTTP Status Code: 503

### ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

### UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

### ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetDefaultEncryptionConfiguration

Retrieves information about the default encryption configuration for the AWS account in the default or specified region. For more information, see [Key management](#) in the *AWS IoT SiteWise User Guide*.

## Request Syntax

```
GET /configuration/account/encryption HTTP/1.1
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configurationStatus": {
    "error": {
      "code": "string",
      "message": "string"
    },
    "state": "string"
  },
  "encryptionType": "string",
  "kmsKeyArn": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## configurationStatus

Provides the status of the default encryption configuration for an AWS account.

Type: [ConfigurationStatus](#) object

## encryptionType

The type of encryption used for the encryption configuration.

Type: String

Valid Values: MANAGED\_INTEGRATIONS\_DEFAULT\_ENCRYPTION | CUSTOMER\_KEY\_ENCRYPTION

## kmsKeyArn

The Key Amazon Resource Name (ARN) of the AWS AWS KMS key used for AWS KMS encryption if you use KMS\_BASED\_ENCRYPTION.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: arn:aws:kms:[0-9a-zA-Z-]+:[0-9]+:key/[0-9a-zA-Z-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalFailureException**

An unexpected error has occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# GetDestination

Gets a destination by name.

## Request Syntax

```
GET /destinations/Name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Name

The name of the customer-managed destination.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreatedAt": number,
  "DeliveryDestinationArn": "string",
  "DeliveryDestinationType": "string",
  "Description": "string",
  "Name": "string",
  "RoleArn": "string",
  "Tags": {
    "string" : "string"
  }
}
```

```
  },  
  "UpdatedAt": number  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### CreatedAt

The timestamp value of when the destination creation request occurred.

Type: Timestamp

### DeliveryDestinationArn

The Amazon Resource Name (ARN) of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws:[0-9a-zA-Z]+:[0-9a-zA-Z-]+:[0-9]+:[0-9a-zA-Z]+/[0-9a-zA-Z._- ]+`

### DeliveryDestinationType

The destination type for the customer-managed destination.

Type: String

Valid Values: KINESIS

### Description

The description of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[0-9A-Za-z_\-\ ]+`

## Name

The name of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

## RoleArn

The Amazon Resource Name (ARN) of the delivery destination role.

Type: String

## Tags

*This parameter has been deprecated.*

A set of key/value pairs that are used to manage the customer-managed destination.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## UpdatedAt

The timestamp value of when the destination update request occurred.

Type: Timestamp

## **Errors**

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

## InternalServerErrorException

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# GetDeviceDiscovery

Get the current state of a device discovery.

## Request Syntax

```
GET /device-discoveries/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The id of the device discovery job request.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AccountAssociationId": "string",
  "Arn": "string",
  "ConnectorAssociationId": "string",
  "ControllerId": "string",
  "DiscoveryType": "string",
  "FinishedAt": number,
  "Id": "string",
  "StartedAt": number,
  "Status": "string",
```

```
"Tags": {  
  "string" : "string"  
}  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### AccountAssociationId

The identifier of the account association used for the device discovery.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9a-zA-Z]+

### Arn

The Amazon Resource Name (ARN) of the device discovery job request.

Type: String

Pattern: arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:device-discovery/[0-9a-zA-Z-]+

### ConnectorAssociationId

*This parameter has been deprecated.*

The ID tracking the current discovery process for one connector association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9a-zA-Z-]+

### ControllerId

The id of the end-user's IoT hub.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

### DiscoveryType

The discovery type supporting the type of device to be discovered in the device discovery job request.

Type: String

Valid Values: ZWAVE | ZIGBEE | CLOUD | CUSTOM | CONTROLLER\_CAPABILITY\_REDISCOVERY

### FinishedAt

The timestamp value for the completion time of the device discovery.

Type: Timestamp

### Id

The id of the device discovery job request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

### StartedAt

The timestamp value for the start time of the device discovery.

Type: Timestamp

### Status

The status of the device discovery job request.

Type: String

Valid Values: RUNNING | SUCCEEDED | FAILED | TIMED\_OUT

## Tags

*This parameter has been deprecated.*

A set of key/value pairs that are used to manage the device discovery request.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetEventLogConfiguration

Get an event log configuration.

## Request Syntax

```
GET /event-log-configurations/Id HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Id

The identifier of the event log configuration.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "EventLogLevel": "string",
  "Id": "string",
  "ResourceId": "string",
  "ResourceType": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### EventLogLevel

The logging level for the event log configuration.

Type: String

Valid Values: DEBUG | ERROR | INFO | WARN

### Id

The identifier of the event log configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

### ResourceId

The identifier of the resource for the event log configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [a-zA-Z0-9+]\*

### ResourceType

The type of resource for the event log configuration.

Type: String

Pattern: [\*]\$\^(managed-thing|credential-locker|provisioning-profile|ota-task|account-association)

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# GetHubConfiguration

Get a hub configuration.

## Request Syntax

```
GET /hub-configuration HTTP/1.1
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "HubTokenTimerExpirySettingInSeconds": number,
  "UpdatedAt": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [HubTokenTimerExpirySettingInSeconds](#)

A user-defined integer value that represents the hub token timer expiry setting in seconds.

Type: Long

Valid Range: Minimum value of 1.

## **UpdatedAt**

The timestamp value of when the hub configuration was updated.

Type: Timestamp

## **Errors**

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetManagedThing

Get details of a managed thing including its attributes and capabilities.

## Request Syntax

```
GET /managed-things/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The id of the managed thing.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9: \_-]\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ActivatedAt": number,
  "AdvertisedProductId": "string",
  "Arn": "string",
  "Brand": "string",
  "Classification": "string",
  "ConnectorDestinationId": "string",
  "ConnectorDeviceId": "string",
  "ConnectorPolicyId": "string",
```

```
"CreatedAt": number,
"CredentialLockerId": "string",
"DeviceSpecificKey": "string",
"HubNetworkMode": "string",
"Id": "string",
"InternationalArticleNumber": "string",
"MacAddress": "string",
"MetaData": {
  "string" : "string"
},
"Model": "string",
"Name": "string",
"Owner": "string",
"ParentControllerId": "string",
"ProvisioningStatus": "string",
"Role": "string",
"SerialNumber": "string",
"Tags": {
  "string" : "string"
},
"UniversalProductCode": "string",
"UpdatedAt": number,
"WiFiSimpleSetupConfiguration": {
  "EnableAsProvisionee": boolean,
  "EnableAsProvisioner": boolean,
  "TimeoutInMinutes": number
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ActivatedAt

The timestamp value of when the device was activated.

Type: Timestamp

### AdvertisedProductId

The id of the advertised product.

Type: String

Length Constraints: Fixed length of 5.

Pattern: ([A-Za-z0-9!#\$%&()\*\+\-;=>?@^\_`{|}~])+

### Arn

The Amazon Resource Name (ARN) of the managed thing.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 1011.

Pattern: arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:managed-thing/  
([0-9a-zA-Z:\_-])+

### Brand

The brand of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

### Classification

The classification of the managed thing such as light bulb or thermostat.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

### ConnectorDestinationId

The identifier of the connector destination associated with this managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_ ]+

## ConnectorDeviceId

The third-party device id as defined by the connector. This device id must not contain personal identifiable information (PII).

### **Note**

This parameter is used for cloud-to-cloud devices only.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\_.,@- ]+

## ConnectorPolicyId

*This parameter has been deprecated.*

The id of the connector policy.

### **Note**

This parameter is used for cloud-to-cloud devices only.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- ]+

## CreatedAt

The timestamp value of when the device creation request occurred.

Type: Timestamp

## CredentialLockerId

The identifier of the credential locker for the managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9]*`

### DeviceSpecificKey

A Zwave device-specific key used during device activation.

#### **Note**

This parameter is used for Zwave devices only.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9=_.,@+\-]+`

### HubNetworkMode

The network mode for the hub-connected device.

Type: String

Valid Values: STANDARD | NETWORK\_WIDE\_EXCLUSION

### Id

The id of the managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9:_-]*`

### InternationalArticleNumber

The unique 13 digit number that identifies the managed thing.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 13.

Pattern: `[0-9]+`

## MacAddress

The media access control (MAC) address for the device represented by the managed thing.

### Note

This parameter is used for Zigbee devices only.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

## MetaData

The metadata for the managed thing.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 0. Maximum length of 128.

Key Pattern: `.*[a-zA-Z0-9_.,@/:#-]+.*`

Value Length Constraints: Minimum length of 0. Maximum length of 800.

Value Pattern: `.*[a-zA-Z0-9_.,@/:#-]*.*`

## Model

The model of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[A-Za-z0-9- _ ]+`

## Name

The name of the managed thing representing the physical device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

### Owner

Owner of the device, usually an indication of whom the device belongs to. This value should not contain personal identifiable information.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9_.,@- ]+`

### ParentControllerId

Id of the controller device used for the discovery job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9 ]+`

### ProvisioningStatus

The provisioning status of the device in the provisioning workflow for onboarding to IoT managed integrations. For more information, see [Device Provisioning](#).

Type: String

Valid Values: UNASSOCIATED | PRE\_ASSOCIATED | DISCOVERED | ACTIVATED | DELETION\_FAILED | DELETE\_IN\_PROGRESS | ISOLATED | DELETED

### Role

The type of device used. This will be the AWS hub controller, cloud device, or AWS IoT device.

Type: String

Valid Values: CONTROLLER | DEVICE

### SerialNumber

The serial number of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

## Tags

A set of key/value pairs that are used to manage the managed thing.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## UniversalProductCode

The universal product code (UPC) of the device model. The UPC is typically used in the United States of America and Canada.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]+

## UpdatedAt

The timestamp value of when the managed thing was last updated at.

Type: Timestamp

## WiFiSimpleSetupConfiguration

The Wi-Fi Simple Setup configuration for the managed thing, which defines provisioning capabilities and timeout settings.

Type: [WiFiSimpleSetupConfiguration](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

**AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

**InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

**ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

**ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

**ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

**UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

**ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetManagedThingCapabilities

Get the capabilities for a managed thing using the device ID.

## Request Syntax

```
GET /managed-things-capabilities/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The id of the device.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9: \_-]\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Capabilities": "string",
  "CapabilityReport": {
    "endpoints": [
      {
        "capabilities": [
          {
            "actions": [ "string" ],
            "events": [ "string" ],
```

```
        "id": "string",
        "name": "string",
        "properties": [ "string" ],
        "version": "string"
    }
],
    "deviceTypes": [ "string" ],
    "id": "string"
}
],
    "nodeId": "string",
    "version": "string"
},
    "ManagedThingId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Capabilities

*This parameter has been deprecated.*

The capabilities of the device such as light bulb.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9\s'\x{0022}, . : \\ \\/ { \$ } \ [ \ ] = \_ \ - \ + ] +

### CapabilityReport

A report of the capabilities for the managed thing.

Type: [CapabilityReport](#) object

### ManagedThingId

The id of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetManagedThingCertificate

Retrieves the certificate PEM for a managed IoT thing.

## Request Syntax

```
GET /managed-things-certificate/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The identifier of the managed thing.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9: _-]*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CertificatePem": "string",
  "ManagedThingId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### CertificatePem

The PEM-encoded certificate for the managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65536.

Pattern: `[\s\S]*`

### ManagedThingId

The identifier of the managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9:_-]*`

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

## ServiceUnavailableException

The service is temporarily unavailable.

HTTP Status Code: 503

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetManagedThingConnectivityData

Get the connectivity status of a managed thing.

## Request Syntax

```
POST /managed-things-connectivity-data/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The identifier of a managed thing.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9:_-]*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Connected": boolean,
  "DisconnectReason": "string",
  "ManagedThingId": "string",
  "Timestamp": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Connected

The connectivity status for a managed thing.

Type: Boolean

### DisconnectReason

The reason for the connectivity disconnect with the managed thing.

Type: String

Valid Values: AUTH\_ERROR | CLIENT\_INITIATED\_DISCONNECT | CLIENT\_ERROR  
| CONNECTION\_LOST | DUPLICATE\_CLIENTID | FORBIDDEN\_ACCESS |  
MQTT\_KEEP\_ALIVE\_TIMEOUT | SERVER\_ERROR | SERVER\_INITIATED\_DISCONNECT  
| THROTTLED | WEBSOCKET\_TTL\_EXPIRATION | CUSTOMAUTH\_TTL\_EXPIRATION |  
UNKNOWN | NONE

### ManagedThingId

The id of a managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

### Timestamp

The timestamp value of when the connectivity status for a managed thing was last taken.

Type: Timestamp

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetManagedThingMetaData

Get the metadata information for a managed thing.

## Note

The managedThing metadata parameter is used for associating attributes with a managedThing that can be used for grouping over-the-air (OTA) tasks. Name value pairs in metadata can be used in the OtaTargetQueryString parameter for the CreateOtaTask API operation.

## Request Syntax

```
GET /managed-things-metadata/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The managed thing id.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "ManagedThingId": "string",
  "MetaData": {
    "string" : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ManagedThingId

The managed thing id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

### MetaData

The metadata for the managed thing.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 0. Maximum length of 128.

Key Pattern: .\*[a-zA-Z0-9\_.,@/:#-]+.\*

Value Length Constraints: Minimum length of 0. Maximum length of 800.

Value Pattern: .\*[a-zA-Z0-9\_.,@/:#-]\*.\*

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

**AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

**InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

**ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

**ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

**ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

**UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

**ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetManagedThingState

Returns the managed thing state for the given device Id.

## Request Syntax

```
GET /managed-thing-states/ManagedThingId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### ManagedThingId

The id of the device.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Endpoints": [
    {
      "capabilities": [
        {
          "id": "string",
          "name": "string",
          "properties": JSON value,
          "version": "string"
        }
      ]
    }
  ]
}
```

```
    ],  
    "endpointId": "string"  
  }  
]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Endpoints

The device endpoint.

Type: Array of [StateEndpoint](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalFailureException**

An unexpected error has occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetNotificationConfiguration

Get a notification configuration for a specified event type.

## Request Syntax

```
GET /notification-configurations/EventType HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### EventType

The type of event triggering a device notification to the customer-managed destination.

Valid Values: DEVICE\_COMMAND | DEVICE\_COMMAND\_REQUEST |  
DEVICE\_DISCOVERY\_STATUS | DEVICE\_EVENT | DEVICE\_LIFE\_CYCLE |  
DEVICE\_STATE | DEVICE\_OTA | DEVICE\_WSS | CONNECTOR\_ASSOCIATION |  
ACCOUNT\_ASSOCIATION | CONNECTOR\_ERROR\_REPORT

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "CreatedAt": number,  
  "DestinationName": "string",  
  "EventType": "string",  
  "Tags": {  
    "string" : "string"  
  },  
}
```

```
"UpdatedAt": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### CreatedAt

The timestamp value of when the notification configuration was created.

Type: Timestamp

### DestinationName

The name of the destination for the notification configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

### EventType

The type of event triggering a device notification to the customer-managed destination.

Type: String

Valid Values: DEVICE\_COMMAND | DEVICE\_COMMAND\_REQUEST |  
DEVICE\_DISCOVERY\_STATUS | DEVICE\_EVENT | DEVICE\_LIFE\_CYCLE |  
DEVICE\_STATE | DEVICE\_OTA | DEVICE\_WSS | CONNECTOR\_ASSOCIATION |  
ACCOUNT\_ASSOCIATION | CONNECTOR\_ERROR\_REPORT

### Tags

*This parameter has been deprecated.*

A set of key/value pairs that are used to manage the notification configuration.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

### UpdatedAt

The timestamp value of when the notification configuration was last updated.

Type: Timestamp

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetOtaTask

Get details of the over-the-air (OTA) task by its task id.

## Request Syntax

```
GET /ota-tasks/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The over-the-air (OTA) task id.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "CreatedAt": number,  
  "Description": "string",  
  "LastUpdatedAt": number,  
  "OtaMechanism": "string",  
  "OtaSchedulingConfig": {  
    "EndBehavior": "string",  
    "EndTime": "string",  
    "MaintenanceWindows": [  
      {  
        "DurationInMinutes": number,
```

```

        "StartTime": "string"
    }
  ],
  "StartTime": "string"
},
"OtaTargetQueryString": "string",
"OtaTaskExecutionRetryConfig": {
  "RetryConfigCriteria": [
    {
      "FailureType": "string",
      "MinNumberOfRetries": number
    }
  ]
},
"OtaType": "string",
"Protocol": "string",
"S3Url": "string",
>Status": "string",
"Tags": {
  "string" : "string"
},
"Target": [ "string" ],
"TaskArn": "string",
"TaskConfigurationId": "string",
"TaskId": "string",
"TaskProcessingDetails": {
  "NumberOfCanceledThings": number,
  "NumberOfFailedThings": number,
  "NumberOfInProgressThings": number,
  "numberOfQueuedThings": number,
  "numberOfRejectedThings": number,
  "numberOfRemovedThings": number,
  "numberOfSucceededThings": number,
  "numberOfTimedOutThings": number,
  "processingTargets": [ "string" ]
}
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### CreatedAt

The timestamp value of when the over-the-air (OTA) task was created.

Type: Timestamp

### Description

The description of the over-the-air (OTA) task.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\- ]+

### LastUpdatedAt

The timestamp value of when the over-the-air (OTA) task was last updated at.

Type: Timestamp

### OtaMechanism

The deployment mechanism for the over-the-air (OTA) task.

Type: String

Valid Values: PUSH

### OtaSchedulingConfig

Over-the-air (OTA) task scheduling config.

Type: [OtaTaskSchedulingConfig](#) object

### OtaTargetQueryString

The query string to add things to the thing group.

Type: String

### OtaTaskExecutionRetryConfig

Over-the-air (OTA) task retry config.

Type: [OtaTaskExecutionRetryConfig](#) object

## OtaType

The frequency type for the over-the-air (OTA) task.

Type: String

Valid Values: ONE\_TIME | CONTINUOUS

## Protocol

The connection protocol the over-the-air (OTA) task uses to update the device.

Type: String

Valid Values: HTTP

## S3Url

The URL to the Amazon S3 bucket where the over-the-air (OTA) task is stored.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

## Status

The status of the over-the-air (OTA) task.

Type: String

Valid Values: IN\_PROGRESS | CANCELED | COMPLETED | DELETION\_IN\_PROGRESS | SCHEDULED

## Tags

A set of key/value pairs that are used to manage the over-the-air (OTA) task.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Target

The device targeted for the over-the-air (OTA) task.

Type: Array of strings

### TaskArn

The Amazon Resource Name (ARN) of the over-the-air (OTA) task

Type: String

Length Constraints: Minimum length of 32. Maximum length of 1011.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:ota-task/[0-9a-zA-Z-]+`

### TaskConfigurationId

The identifier for the over-the-air (OTA) task configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9]*`

### TaskId

The id of the over-the-air (OTA) task.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: `[A-Za-z0-9]+`

### TaskProcessingDetails

The processing details of all over-the-air (OTA) tasks.

Type: [TaskProcessingDetails](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# GetOtaTaskConfiguration

Get a configuraiton for the over-the-air (OTA) task.

## Request Syntax

```
GET /ota-task-configurations/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The over-the-air (OTA) task configuration id.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreatedAt": number,
  "Description": "string",
  "Name": "string",
  "PushConfig": {
    "AbortConfig": {
      "AbortConfigCriteriaList": [
        {
          "Action": "string",
          "FailureType": "string",
```

```
        "MinNumberOfExecutedThings": number,
        "ThresholdPercentage": number
    }
]
},
"RolloutConfig": {
    "ExponentialRolloutRate": {
        "BaseRatePerMinute": number,
        "IncrementFactor": number,
        "RateIncreaseCriteria": {
            "numberOfNotifiedThings": number,
            "numberOfSucceededThings": number
        }
    },
    "MaximumPerMinute": number
},
"TimeoutConfig": {
    "InProgressTimeoutInMinutes": number
}
},
"TaskConfigurationId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### CreatedAt

The timestamp value of when the over-the-air (OTA) task configuration was created at.

Type: Timestamp

### Description

A description of the over-the-air (OTA) task configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\-\ ]+

## Name

The name of the over-the-air (OTA) task configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

## PushConfig

Describes the type of configuration used for the over-the-air (OTA) task.

Type: [PushConfig](#) object

## TaskConfigurationId

The over-the-air (OTA) task configuration id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetProvisioningProfile

Get details of a provisioning profile.

## Request Syntax

```
GET /provisioning-profiles/Identifier HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The id of a provisioning profile.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_-]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Arn": "string",
  "ClaimCertificate": "string",
  "Id": "string",
  "Name": "string",
  "ProvisioningType": "string",
  "Status": "string",
  "Tags": {
    "string" : "string"
  }
}
```

```
}  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Arn

The Amazon Resource Name (ARN) of the provisioning profile.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 64.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:provisioning-profile/[0-9a-zA-Z-]+`

### ClaimCertificate

The body of the PEM-encoded claim certificate.

Type: String

### Id

The provisioning profile id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9-_-]+`

### Name

The name of the provisioning profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `[0-9A-Za-z_-]+`

## ProvisioningType

The type of provisioning workflow the device uses for onboarding to IoT managed integrations.

Type: String

Valid Values: FLEET\_PROVISIONING | JITR

## Status

The status of a provisioning profile.

Type: String

Valid Values: CREATE\_IN\_PROGRESS | CREATE\_FAILED | CREATED | DELETE\_IN\_PROGRESS | DELETE\_FAILED

## Tags

A set of key/value pairs that are used to manage the provisioning profile.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

## **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

## **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

## **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetRuntimeLogConfiguration

Get the runtime log configuration for a specific managed thing.

## Request Syntax

```
GET /runtime-log-configurations/ManagedThingId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### ManagedThingId

The id for a managed thing.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9: \_-]\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ManagedThingId": "string",
  "RuntimeLogConfigurations": {
    "DeleteLocalStoreAfterUpload": boolean,
    "LocalStoreFileRotationMaxBytes": number,
    "LocalStoreFileRotationMaxFiles": number,
    "LocalStoreLocation": "string",
    "LogFlushLevel": "string",
    "LogLevel": "string",
```

```
    "UploadLog": boolean,  
    "UploadPeriodMinutes": number  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ManagedThingId

The id for a managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

### RuntimeLogConfigurations

The runtime log configuration for a managed thing.

Type: [RuntimeLogConfigurations](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSchemaVersion

Gets a schema version with the provided information.

## Request Syntax

```
GET /schema-versions/Type/SchemaVersionedId?Format=Format HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Format

The format of the schema version.

Valid Values: AWS | ZCL | CONNECTOR

### SchemaVersionedId

Schema id with a version specified. If the version is missing, it defaults to latest version.

Length Constraints: Minimum length of 7. Maximum length of 128.

Pattern: `[a-zA-Z0-9.]+@(\d+\.\d+(\.\d+)?)|\$latest`

Required: Yes

### Type

The type of schema version.

Valid Values: capability | definition

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "Description": "string",
  "Namespace": "string",
  "Schema": JSON value,
  "SchemaId": "string",
  "SemanticVersion": "string",
  "Type": "string",
  "Visibility": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Description

The description of the schema version.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 2048.

Pattern: [a-zA-Z0-9.,/ -]+

### Namespace

The name of the schema version.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 12.

Pattern: [a-z0-9]+

### Schema

The schema of the schema version.

Type: JSON value

## SchemaId

The id of the schema version.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 128.

Pattern: [a-zA-Z0-9. ]+

## SemanticVersion

The schema version. If this is left blank, it defaults to the latest version.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 12.

Pattern: (\d+\.\d+(\.\d+)?|\\$latest)

## Type

The type of schema version.

Type: String

Valid Values: capability | definition

## Visibility

The visibility of the schema version.

Type: String

Valid Values: PUBLIC | PRIVATE

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

## **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

## **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

## **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

## **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListAccountAssociations

Lists all account associations, with optional filtering by connector destination ID.

## Request Syntax

```
GET /account-associations?  
ConnectorDestinationId=ConnectorDestinationId&MaxResults=MaxResults&NextToken=NextToken  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### ConnectorDestinationId

The identifier of the connector destination to filter account associations by.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_]+

### MaxResults

The maximum number of account associations to return in a single response.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token used for pagination of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "Items": [
    {
      "AccountAssociationId": "string",
      "Arn": "string",
      "AssociationState": "string",
      "ConnectorDestinationId": "string",
      "Description": "string",
      "ErrorMessage": "string",
      "Name": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of account associations that match the specified criteria.

Type: Array of [AccountAssociationItem](#) objects

### NextToken

A token used for pagination of results when there are more account associations than can be returned in a single response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

## **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

## **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListCloudConnectors

Returns a list of connectors filtered by its AWS Lambda Amazon Resource Name (ARN) and type.

## Request Syntax

```
GET /cloud-connectors?  
LambdaArn=LambdaArn&MaxResults=MaxResults&NextToken=NextToken&Type=Type HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### LambdaArn

The Amazon Resource Name (ARN) of the Lambda function to filter cloud connectors by.

Pattern: (arn:aws:lambda:[0-9a-zA-Z-]+:[0-9]+:function:)?([a-zA-Z0-9-\_]+(:\(\$LATEST|[a-zA-Z0-9-\_]+))?)

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

### Type

The type of cloud connectors to filter by when listing available connectors.

Valid Values: LISTED | UNLISTED

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Items": [
    {
      "Description": "string",
      "EndpointConfig": {
        "lambda": {
          "arn": "string"
        }
      },
      "EndpointType": "string",
      "Id": "string",
      "Name": "string",
      "Type": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of connectors.

Type: Array of [ConnectorItem](#) objects

### NextToken

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### AccessDeniedException

User is not authorized.

HTTP Status Code: 403

### InternalServerErrorException

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

### ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListConnectorDestinations

Lists all connector destinations, with optional filtering by cloud connector ID.

## Request Syntax

```
GET /connector-destinations?  
CloudConnectorId=CloudConnectorId&MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### CloudConnectorId

The identifier of the cloud connector to filter connector destinations by.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

### MaxResults

The maximum number of connector destinations to return in a single response.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token used for pagination of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9= \_-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "ConnectorDestinationList": [
    {
      "CloudConnectorId": "string",
      "Description": "string",
      "Id": "string",
      "Name": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ConnectorDestinationList](#)

The list of connector destinations that match the specified criteria.

Type: Array of [ConnectorDestinationSummary](#) objects

### [NextToken](#)

A token used for pagination of results when there are more connector destinations than can be returned in a single response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListCredentialLockers

List information on an existing credential locker.

## Request Syntax

```
GET /credential-lockers?MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Items": [
    {
      "Arn": "string",
      "CreatedAt": number,
```

```
    "Id": "string",  
    "Name": "string"  
  }  
],  
  "NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of credential lockers.

Type: Array of [CredentialLockerSummary](#) objects

### NextToken

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListDestinations

List all notification destinations.

## Request Syntax

```
GET /destinations?MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DestinationList": [
    {
      "DeliveryDestinationArn": "string",
      "DeliveryDestinationType": "string",
      "Description": "string",
```

```
    "Name": "string",
    "RoleArn": "string"
  }
],
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### DestinationList

The list of destinations.

Type: Array of [DestinationSummary](#) objects

### NextToken

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListDeviceDiscoveries

Lists all device discovery tasks, with optional filtering by type and status.

## Request Syntax

```
GET /device-discoveries?  
MaxResults=MaxResults&NextToken=NextToken&StatusFilter=StatusFilter&TypeFilter=TypeFilter  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of device discovery jobs to return in a single response.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token used for pagination of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_- ]+

### StatusFilter

The status to filter device discovery jobs by.

Valid Values: RUNNING | SUCCEEDED | FAILED | TIMED\_OUT

### TypeFilter

The discovery type to filter device discovery jobs by.

Valid Values: ZWAVE | ZIGBEE | CLOUD | CUSTOM |  
CONTROLLER\_CAPABILITY\_REDISCOVERY

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Items": [
    {
      "DiscoveryType": "string",
      "Id": "string",
      "Status": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of device discovery jobs that match the specified criteria.

Type: Array of [DeviceDiscoverySummary](#) objects

### NextToken

A token used for pagination of results when there are more device discovery jobs than can be returned in a single response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

## **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

## **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

## **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListDiscoveredDevices

Lists all devices discovered during a specific device discovery task.

## Request Syntax

```
GET /device-discoveries/Identifier/devices?MaxResults=MaxResults&NextToken=NextToken  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The identifier of the device discovery job to list discovered devices for.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: Yes

### MaxResults

The maximum number of discovered devices to return in a single response.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token used for pagination of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Items": [
    {
      "AuthenticationMaterial": "string",
      "Brand": "string",
      "ConnectorDeviceId": "string",
      "ConnectorDeviceName": "string",
      "DeviceTypes": [ "string" ],
      "DiscoveredAt": number,
      "ManagedThingId": "string",
      "Model": "string",
      "Modification": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of discovered devices that match the specified criteria.

Type: Array of [DiscoveredDeviceSummary](#) objects

### NextToken

A token used for pagination of results when there are more discovered devices than can be returned in a single response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_- ]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### AccessDeniedException

User is not authorized.

HTTP Status Code: 403

### InternalServerErrorException

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

### ServiceUnavailableException

The service is temporarily unavailable.

HTTP Status Code: 503

### ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

### UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

### ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListEventLogConfigurations

List all event log configurations for an account.

## Request Syntax

```
GET /event-log-configurations?MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "EventLogConfigurationList": [
    {
      "EventLogLevel": "string",
      "Id": "string",
```

```
    "ResourceId": "string",  
    "ResourceType": "string"  
  }  
],  
"NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### EventLogConfigurationList

A list of each event log configuration and pertinent information.

Type: Array of [EventLogConfigurationSummary](#) objects

### NextToken

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListManagedThingAccountAssociations

Lists all account associations for a specific managed thing.

## Request Syntax

```
GET /managed-thing-associations?  
AccountAssociationId=AccountAssociationId&ManagedThingId=ManagedThingId&MaxResults=MaxResults&N  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### AccountAssociationId

The identifier of the account association to filter results by. When specified, only associations with this account association ID will be returned.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

### ManagedThingId

The identifier of the managed thing to list account associations for.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9: _-]*`

### MaxResults

The maximum number of account associations to return in a single response.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token used for pagination of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Items": [
    {
      "AccountAssociationId": "string",
      "ManagedThingAssociationStatus": "string",
      "ManagedThingId": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of managed thing associations that match the specified criteria, including the managed thing ID and account association ID for each association.

Type: Array of [ManagedThingAssociation](#) objects

### NextToken

A token used for pagination of results when there are more account associations than can be returned in a single response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### AccessDeniedException

User is not authorized.

HTTP Status Code: 403

### InternalServerError

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

### ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListManagedThings

Listing all managed things with provision for filters.

## Request Syntax

```
GET /managed-things?  
ConnectorDestinationIdFilter=ConnectorDestinationIdFilter&ConnectorDeviceIdFilter=ConnectorDevi  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### ConnectorDestinationIdFilter

Filter managed things by the connector destination ID they are associated with.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_]+

### ConnectorDeviceIdFilter

Filter managed things by the connector device ID they are associated with. When specified, only managed things with this connector device ID will be returned.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\_.,@-]+

### ConnectorPolicyIdFilter

*This parameter has been deprecated.*

Filter on a connector policy id for a managed thing.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_]+

### CredentialLockerFilter

Filter on a credential locker for a managed thing.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_- ]+

### OwnerFilter

Filter on device owners when listing managed things.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9\_.,@- ]+

### ParentControllerIdentifierFilter

Filter on a parent controller id for a managed thing.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9 ]+

### ProvisioningStatusFilter

Filter on the status of the device. For more information, see [Device Provisioning](#).

Valid Values: UNASSOCIATED | PRE\_ASSOCIATED | DISCOVERED | ACTIVATED | DELETION\_FAILED | DELETE\_IN\_PROGRESS | ISOLATED | DELETED

### RoleFilter

Filter on the type of device used. This will be the AWS hub controller, cloud device, or AWS IoT device.

Valid Values: CONTROLLER | DEVICE

## SerialNumberFilter

Filter on the serial number of the device.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Items": [
    {
      "ActivatedAt": number,
      "AdvertisedProductId": "string",
      "Arn": "string",
      "Brand": "string",
      "Classification": "string",
      "ConnectorDestinationId": "string",
      "ConnectorDeviceId": "string",
      "ConnectorPolicyId": "string",
      "CreatedAt": number,
      "CredentialLockerId": "string",
      "Id": "string",
      "Model": "string",
      "Name": "string",
      "Owner": "string",
      "ParentControllerId": "string",
      "ProvisioningStatus": "string",
      "Role": "string",
      "SerialNumber": "string",
      "UpdatedAt": number
    }
  ],
  "NextToken": "string"
}
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of managed things.

Type: Array of [ManagedThingSummary](#) objects

### NextToken

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_- ]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListManagedThingSchemas

List schemas associated with a managed thing.

## Request Syntax

```
GET /managed-thing-schemas/Identifier?  
CapabilityIdFilter=CapabilityIdFilter&EndpointIdFilter=EndpointIdFilter&MaxResults=MaxResults&N  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### CapabilityIdFilter

Filter on a capability id.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9./]+(@\d+\. \d+)?`

### EndpointIdFilter

Filter on an endpoint id.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

### Identifier

The managed thing id.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9:_-]*`

Required: Yes

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Items": [
    {
      "CapabilityId": "string",
      "EndpointId": "string",
      "Schema": JSON value
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of managed thing schemas.

Type: Array of [ManagedThingSchemaListItem](#) objects

## **NextToken**

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## **Errors**

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListNotificationConfigurations

List all notification configurations.

## Request Syntax

```
GET /notification-configurations?MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "NotificationConfigurationList": [
    {
      "DestinationName": "string",
```

```
    "EventType": "string"  
  }  
]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

### NotificationConfigurationList

The list of notification configurations.

Type: Array of [NotificationConfigurationSummary](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListOtaTaskConfigurations

List all of the over-the-air (OTA) task configurations.

## Request Syntax

```
GET /ota-task-configurations?MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: `[a-zA-Z0-9=_-]+`

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Items": [
    {
      "CreatedAt": number,
      "Name": "string",
      "TaskConfigurationId": "string"
    }
  ]
}
```

```
    }  
  ],  
  "NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of the over-the-air (OTA) task configurations.

Type: Array of [OtaTaskConfigurationSummary](#) objects

### NextToken

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_- ]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListOtaTaskExecutions

List all of the over-the-air (OTA) task executions.

## Request Syntax

```
GET /ota-tasks/Identifier/devices?MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The over-the-air (OTA) task id.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: Yes

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_+/-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "ExecutionSummaries": [
    {
      "ManagedThingId": "string",
      "TaskExecutionSummary": {
        "ExecutionNumber": number,
        "LastUpdatedAt": number,
        "QueuedAt": number,
        "RetryAttempt": number,
        "StartedAt": number,
        "Status": "string"
      }
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ExecutionSummaries

A list of all of the over-the-air (OTA) task executions.

Type: Array of [OtaTaskExecutionSummaries](#) objects

### NextToken

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_+/-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## AccessDeniedException

User is not authorized.

HTTP Status Code: 403

## InternalServerErrorException

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListOtaTasks

List all of the over-the-air (OTA) tasks.

## Request Syntax

```
GET /ota-tasks?MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_+/-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "Tasks": [
    {
      "CreatedAt": number,
      "LastUpdatedAt": number,

```

```
    "Status": "string",
    "TaskArn": "string",
    "TaskConfigurationId": "string",
    "TaskId": "string"
  }
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_+/- ]+

### Tasks

A list of all of the over-the-air (OTA) tasks.

Type: Array of [OtaTaskSummary](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListProvisioningProfiles

List the provisioning profiles within the AWS account.

## Request Syntax

```
GET /provisioning-profiles?MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "Items": [
    {
      "Arn": "string",
      "Id": "string",
      "Name": "string",
```

```
    "ProvisioningType": "string",  
    "Status": "string"  
  }  
],  
"NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of provisioning profiles.

Type: Array of [ProvisioningProfileSummary](#) objects

### NextToken

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9=\_-]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# ListSchemaVersions

Lists schema versions with the provided information.

## Request Syntax

```
GET /schema-versions/Type?  
MaxResults=MaxResults&NamespaceFilter=Namespace&NextToken=NextToken&SchemaIdFilter=SchemaId&Sem  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return at one time.

Valid Range: Minimum value of 1. Maximum value of 1000.

### Namespace

Filter on the name of the schema version.

Length Constraints: Minimum length of 3. Maximum length of 12.

Pattern: `[a-z0-9]+`

### NextToken

A token that can be used to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: `[a-zA-Z0-9=_-]+`

### SchemaId

Filter on the id of the schema version.

Length Constraints: Minimum length of 3. Maximum length of 128.

Pattern: `[a-zA-Z0-9.]+`

## SemanticVersion

The schema version. If this is left blank, it defaults to the latest version.

Length Constraints: Minimum length of 3. Maximum length of 12.

Pattern: `(\d+\.\d+(\.\d+)?|\$latest)`

## Type

Filter on the type of schema version.

Valid Values: `capability` | `definition`

Required: Yes

## Visibility

The visibility of the schema version.

Valid Values: `PUBLIC` | `PRIVATE`

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Items": [
    {
      "Description": "string",
      "Namespace": "string",
      "SchemaId": "string",
      "SemanticVersion": "string",
      "Type": "string",
      "Visibility": "string"
    }
  ],
  "NextToken": "string"
}
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of schema versions.

Type: Array of [SchemaVersionListItem](#) objects

### NextToken

A token that can be used to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: `[a-zA-Z0-9=_- ]+`

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListTagsForResource

Lists the tags for a specified resource.

## Request Syntax

```
GET /tags/ResourceArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### ResourceArn

The Amazon Resource Name (ARN) of the resource for which to list tags.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:(managed-thing|provisioning-profile|ota-task|credential-locker|account-association)/[0-9a-zA-Z-]+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### tags

A set of key/value pairs that are used to manage the resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidRequestException**

The request is not valid.

HTTP Status Code: 400

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutDefaultEncryptionConfiguration

Sets the default encryption configuration for the AWS account. For more information, see [Key management](#) in the AWS IoT SiteWise User Guide.

## Request Syntax

```
POST /configuration/account/encryption HTTP/1.1
Content-type: application/json

{
  "encryptionType": "string",
  "kmsKeyArn": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### [encryptionType](#)

The type of encryption used for the encryption configuration.

Type: String

Valid Values: MANAGED\_INTEGRATIONS\_DEFAULT\_ENCRYPTION | CUSTOMER\_KEY\_ENCRYPTION

Required: Yes

### [kmsKeyArn](#)

The Key Amazon Resource Name (ARN) of the AWS AWS KMS key used for AWS KMS encryption if you use KMS\_BASED\_ENCRYPTION.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: arn:aws:kms:[0-9a-zA-Z-]+:[0-9]+:key/[0-9a-zA-Z-]+

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "configurationStatus": {
    "error": {
      "code": "string",
      "message": "string"
    },
    "state": "string"
  },
  "encryptionType": "string",
  "kmsKeyArn": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### configurationStatus

Provides the status of the default encryption configuration for an AWS account.

Type: [ConfigurationStatus](#) object

### encryptionType

The type of encryption used for the encryption configuration.

Type: String

Valid Values: MANAGED\_INTEGRATIONS\_DEFAULT\_ENCRYPTION |  
CUSTOMER\_KEY\_ENCRYPTION

## kmsKeyArn

The Key Amazon Resource Name (ARN) of the AWS AWS KMS key used for AWS KMS encryption if you use KMS\_BASED\_ENCRYPTION.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: `arn:aws:kms:[0-9a-zA-Z-]+:[0-9]+:key/[0-9a-zA-Z-]+`

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalFailureException**

An unexpected error has occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutHubConfiguration

Update a hub configuration.

## Request Syntax

```
PUT /hub-configuration HTTP/1.1
Content-type: application/json

{
  "HubTokenTimerExpirySettingInSeconds": number
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### HubTokenTimerExpirySettingInSeconds

A user-defined integer value that represents the hub token timer expiry setting in seconds.

Type: Long

Valid Range: Minimum value of 1.

Required: Yes

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "HubTokenTimerExpirySettingInSeconds": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### HubTokenTimerExpirySettingInSeconds

A user-defined integer value that represents the hub token timer expiry setting in seconds.

Type: Long

Valid Range: Minimum value of 1.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutRuntimeLogConfiguration

Set the runtime log configuration for a specific managed thing.

## Request Syntax

```
PUT /runtime-log-configurations/ManagedThingId HTTP/1.1
Content-type: application/json
```

```
{
  "RuntimeLogConfigurations": {
    "DeleteLocalStoreAfterUpload": boolean,
    "LocalStoreFileRotationMaxBytes": number,
    "LocalStoreFileRotationMaxFiles": number,
    "LocalStoreLocation": "string",
    "LogFlushLevel": "string",
    "LogLevel": "string",
    "UploadLog": boolean,
    "UploadPeriodMinutes": number
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### ManagedThingId

The id for a managed thing.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

Required: Yes

## Request Body

The request accepts the following data in JSON format.

## RuntimeLogConfigurations

The runtime log configuration for a managed thing.

Type: [RuntimeLogConfigurations](#) object

Required: Yes

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### AccessDeniedException

User is not authorized.

HTTP Status Code: 403

### InternalServerError

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

### ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# RegisterAccountAssociation

Registers an account association with a managed thing, establishing a connection between a device and a third-party account.

## Request Syntax

```
PUT /managed-thing-associations/register HTTP/1.1
Content-type: application/json
```

```
{
  "AccountAssociationId": "string",
  "DeviceDiscoveryId": "string",
  "ManagedThingId": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### AccountAssociationId

The identifier of the account association to register with the managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9a-zA-Z]+

Required: Yes

### DeviceDiscoveryId

The identifier of the device discovery job associated with this registration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: Yes

### ManagedThingId

The identifier of the managed thing to register with the account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

Required: Yes

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "AccountAssociationId": "string",
  "DeviceDiscoveryId": "string",
  "ManagedThingId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### AccountAssociationId

The identifier of the account association that was registered.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

### DeviceDiscoveryId

The identifier of the device discovery job associated with this registration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: `[A-Za-z0-9]+`

### ManagedThingId

The identifier of the managed thing that was registered with the account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9:_-]*`

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# RegisterCustomEndpoint

Customers can request IoT managed integrations to manage the server trust for them or bring their own external server trusts for the custom domain. Returns an IoT managed integrations endpoint.

## Request Syntax

```
POST /custom-endpoint HTTP/1.1
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "EndpointAddress": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### [EndpointAddress](#)

The IoT managed integrations dedicated, custom endpoint for the device to route traffic through.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [A-Za-z0-9.\_@- ]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ResetRuntimeLogConfiguration

Reset a runtime log configuration for a specific managed thing.

## Request Syntax

```
DELETE /runtime-log-configurations/ManagedThingId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### ManagedThingId

The id of a managed thing.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9: \_-]\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

## **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

## **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

## **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# SendConnectorEvent

Relays third-party device events for a connector such as a new device or a device state change event.

## Request Syntax

```
POST /connector-event/ConnectorId HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "ConnectorDeviceId": "string",
  "DeviceDiscoveryId": "string",
  "Devices": [
    {
      "CapabilityReport": {
        "endpoints": [
          {
            "clientClusters": [ "string" ],
            "clusters": [
              {
                "attributes": [
                  {
                    "id": "string",
                    "name": "string",
                    "value": JSON value
                  }
                ],
                "commands": [ "string" ],
                "events": [ "string" ],
                "fabricIndex": number,
                "featureMap": number,
                "generatedCommands": [ "string" ],
                "id": "string",
                "name": "string",
                "publicId": "string",
                "revision": number,
                "specVersion": "string"
              }
            ],
            "deviceTypes": [ "string" ],
            "id": "string",
            "parts": [ "string" ],
```

```
        "semanticTags": [ "string" ]
      }
    ],
    "nodeId": "string",
    "version": "string"
  },
  "CapabilitySchemas": [
    {
      "CapabilityId": "string",
      "ExtrinsicId": "string",
      "ExtrinsicVersion": number,
      "Format": "string",
      "Schema": JSON value
    }
  ],
  "ConnectorDeviceId": "string",
  "ConnectorDeviceName": "string",
  "DeviceMetadata": JSON value
}
],
"MatterEndpoint": {
  "clusters": [
    {
      "attributes": JSON value,
      "commands": {
        "string": JSON value
      },
      "events": {
        "string": JSON value
      },
      "id": "string"
    }
  ],
  "id": "string"
},
"Message": "string",
"Operation": "string",
"OperationVersion": "string",
"StatusCode": number,
"TraceId": "string",
"UserId": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### ConnectorId

The id of the connector between the third-party cloud provider and IoT managed integrations.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+


Required: Yes

## Request Body

The request accepts the following data in JSON format.

### ConnectorDeviceId

The third-party device id as defined by the connector. This device id must not contain personal identifiable information (PII).

 **Note**

This parameter is used for cloud-to-cloud devices only.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\_.,@- ]+

Required: No

### DeviceDiscoveryId

The id for the device discovery job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: No

## Devices

The list of devices.

Type: Array of [Device](#) objects

Required: No

## MatterEndpoint

The device endpoint.

Type: [MatterEndpoint](#) object

Required: No

## Message

The device state change event payload.

This parameter will include the following three fields:

- `uri: schema auc://<PARTNER-DEVICE-ID>/ResourcePath` (The Resourcepath corresponds to an OCF resource.)
- `op`: For device state changes, this field must populate as `n+d`.
- `cn`: The content depends on the OCF resource referenced in ResourcePath.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [\sa-zA-Z0-9\_.,@-]+

Required: No

## Operation

The Open Connectivity Foundation (OCF) operation requested to be performed on the managed thing.

**Note**

The field `op` can have a value of "I" or "U". The field `cn` will contain the capability types.

Type: String

Valid Values: `DEVICE_COMMAND_RESPONSE` | `DEVICE_DISCOVERY` | `DEVICE_EVENT` | `DEVICE_COMMAND_REQUEST`

Required: Yes

### OperationVersion

The Open Connectivity Foundation (OCF) security specification version for the operation being requested on the managed thing. For more information, see [OCF Security Specification](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6.

Pattern: `[0-9. ]+`

Required: No

### StatusCode

The status code of the Open Connectivity Foundation (OCF) operation being performed on the managed thing.

Type: Integer

Valid Range: Minimum value of 100. Maximum value of 550.

Required: No

### TraceId

The trace request identifier. This is generated by IoT managed integrations and can be used to trace this command and its related operations in CloudWatch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9:=-\_]+

Required: No

### UserId

The id of the third-party cloud provider.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9\_.,@-]+

Required: No

## Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "ConnectorId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

### ConnectorId

The id of the connector between the third-party cloud provider and IoT managed integrations.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# SendManagedThingCommand

Send the command to the device represented by the managed thing.

## Request Syntax

POST /managed-things-command/*ManagedThingId* HTTP/1.1

Content-type: application/json

```
{
  "AccountAssociationId": "string",
  "ConnectorAssociationId": "string",
  "Endpoints": [
    {
      "capabilities": [
        {
          "actions": [
            {
              "actionTraceId": "string",
              "name": "string",
              "parameters": JSON value,
              "ref": "string"
            }
          ],
          "id": "string",
          "name": "string",
          "version": "string"
        }
      ],
      "endpointId": "string"
    }
  ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### ManagedThingId

The id of the device.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### AccountAssociationId

The identifier of the account association to use when sending a command to a managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9a-zA-Z]+

Required: No

### ConnectorAssociationId

*This parameter has been deprecated.*

The ID tracking the current discovery process for one connector association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9a-zA-Z]+

Required: No

### Endpoints

The device endpoint.

Type: Array of [CommandEndpoint](#) objects

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Required: Yes

## Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "TraceId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

### TraceId

The trace request identifier. This is generated by IoT managed integrations and can be used to trace this command and its related operations in CloudWatch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9:=-\_]+

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

## ServiceUnavailableException

The service is temporarily unavailable.

HTTP Status Code: 503

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartAccountAssociationRefresh

Initiates a refresh of an existing account association to update its authorization and connection status.

## Request Syntax

```
POST /account-associations/AccountAssociationId/refresh HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### AccountAssociationId

The unique identifier of the account association to refresh.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9a-zA-Z]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "OAuthAuthorizationUrl": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### OAuthAuthorizationUrl

Third-party IoT platform OAuth authorization server URL with all required parameters to perform end-user authentication during the refresh process. This field will be empty when using General Authorization flows that do not require OAuth.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: `$|^(https):\\V\\.*`

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartDeviceDiscovery

This API is used to start device discovery for hub-connected and third-party-connected devices. The authentication material (install code) is delivered as a message to the controller instructing it to start the discovery.

## Request Syntax

```
POST /device-discoveries HTTP/1.1
Content-type: application/json

{
  "AccountAssociationId": "string",
  "AuthenticationMaterial": "string",
  "AuthenticationMaterialType": "string",
  "ClientToken": "string",
  "ConnectorAssociationIdentifier": "string",
  "ConnectorDeviceIdList": [ "string" ],
  "ControllerIdentifier": "string",
  "CustomProtocolDetail": {
    "string" : "string"
  },
  "DiscoveryType": "string",
  "EndDeviceIdentifier": "string",
  "Protocol": "string",
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### AccountAssociationId

The identifier of the cloud-to-cloud account association to use for discovery of third-party devices.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9a-zA-Z]+

Required: No

### AuthenticationMaterial

The authentication material required to start the local device discovery job request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9A-Za-z\_\-\+=\|/:; ]+

Required: No

### AuthenticationMaterialType

The type of authentication material used for device discovery jobs.

Type: String

Valid Values: ZWAVE\_INSTALL\_CODE

Required: No

### ClientToken

An idempotency token. If you retry a request that completed successfully initially using the same client token and parameters, then the retry attempt will succeed without performing any further actions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_-]+

Required: No

### ConnectorAssociationIdentifier

*This parameter has been deprecated.*

The id of the connector association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9a-zA-Z]+

Required: No

### ConnectorDeviceIdList

Used as a filter for PLA discoveries.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\_.,@- ]+

Required: No

### ControllerIdentifier

The id of the end-user's IoT hub.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_- ]\*

Required: No

### CustomProtocolDetail

Additional protocol-specific details required for device discovery, which vary based on the discovery type.

#### **Note**

For a `DiscoveryType` of `CUSTOM`, the string-to-string map must have a key value of `Name` set to a non-empty-string.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z0-9 \_.-]+

Value Length Constraints: Minimum length of 1. Maximum length of 512.

Value Pattern: [a-zA-Z0-9 \_.{ }:"-]+

Required: No

### DiscoveryType

The discovery type supporting the type of device to be discovered in the device discovery task request.

Type: String

Valid Values: ZWAVE | ZIGBEE | CLOUD | CUSTOM |  
CONTROLLER\_CAPABILITY\_REDISCOVERY

Required: Yes

### EndDeviceIdentifier

The unique id of the end device for capability rediscovery.

#### **Note**

This parameter is only available when the discovery type is  
CONTROLLER\_CAPABILITY\_REDISCOVERY.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

Required: No

## Protocol

The protocol type for capability rediscovery (ZWAVE, ZIGBEE, or CUSTOM).

### Note

This parameter is only available when the discovery type is CONTROLLER\_CAPABILITY\_REDISCOVERY.

Type: String

Valid Values: ZWAVE | ZIGBEE | CUSTOM

Required: No

## Tags

*This parameter has been deprecated.*

A set of key/value pairs that are used to manage the device discovery request.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json
```

```
{
  "Id": "string",
  "StartedAt": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### Id

The id of the device discovery job request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

### StartedAt

The timestamp value for the start time of the device discovery.

Type: Timestamp

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

## ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

## ServiceUnavailableException

The service is temporarily unavailable.

HTTP Status Code: 503

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# TagResource

Adds tags to a specified resource.

## Request Syntax

```
POST /tags/ResourceArn HTTP/1.1
Content-type: application/json

{
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### ResourceArn

The Amazon Resource Name (ARN) of the resource to which to add tags.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:(managed-thing|provisioning-profile|ota-task|credential-locker|account-association)/[0-9a-zA-Z-]+`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Tags

A set of key/value pairs that are used to manage the resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### ConflictException

There is a conflict with the request.

HTTP Status Code: 409

### InvalidRequestException

The request is not valid.

HTTP Status Code: 400

### ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

### ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UntagResource

Removes tags from a specified resource.

## Request Syntax

```
DELETE /tags/ResourceArn?tagKeys=TagKeys HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### ResourceArn

The Amazon Resource Name (ARN) of the resource from which to remove tags.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:(managed-thing|provisioning-profile|ota-task|credential-locker|account-association)/[0-9a-zA-Z]+`

Required: Yes

### TagKeys

A list of tag keys to remove from the resource.

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### ConflictException

There is a conflict with the request.

HTTP Status Code: 409

### InvalidRequestException

The request is not valid.

HTTP Status Code: 400

### ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

### ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

### UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateAccountAssociation

Updates the properties of an existing account association.

## Request Syntax

```
PUT /account-associations/AccountAssociationId HTTP/1.1  
Content-type: application/json
```

```
{  
  "Description": "string",  
  "Name": "string"  
}
```

## URI Request Parameters

The request uses the following URI parameters.

### AccountAssociationId

The unique identifier of the account association to update.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9a-zA-Z]+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Description

The new description to assign to the account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: [A-Za-z0-9- \_ ]+

Required: No

## Name

The new name to assign to the account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

## Response Syntax

```
HTTP/1.1 204
```

## Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **ConflictException**

There is a conflict with the request.

HTTP Status Code: 409

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ServiceUnavailableException**

The service is temporarily unavailable.

HTTP Status Code: 503

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# UpdateCloudConnector

Update an existing cloud connector.

## Request Syntax

```
PUT /cloud-connectors/Identifier HTTP/1.1
Content-type: application/json
```

```
{
  "Description": "string",
  "Name": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The unique identifier of the cloud connector to update.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_]+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Description

The new description to assign to the cloud connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\-\ ]+

Required: No

### Name

The new display name to assign to the cloud connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerError**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **UnauthorizedException**

You are not authorized to perform this operation.

HTTP Status Code: 401

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateConnectorDestination

Updates the properties of an existing connector destination.

## Request Syntax

```
PUT /connector-destinations/Identifier HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "AuthConfig": {
    "GeneralAuthorizationUpdate": {
      "AuthMaterialsToAdd": [
        {
          "AuthMaterialName": "string",
          "SecretsManager": {
            "arn": "string",
            "versionId": "string"
          }
        }
      ],
      "AuthMaterialsToUpdate": [
        {
          "AuthMaterialName": "string",
          "SecretsManager": {
            "arn": "string",
            "versionId": "string"
          }
        }
      ]
    },
    "oAuthUpdate": {
      "oAuthCompleteRedirectUrl": "string",
      "proactiveRefreshTokenRenewal": {
        "DaysBeforeRenewal": number,
        "enabled": boolean
      }
    }
  },
  "AuthType": "string",
  "Description": "string",
  "Name": "string",
  "SecretsManager": {
```

```
    "arn": "string",  
    "versionId": "string"  
  }  
}
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The unique identifier of the connector destination to update.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### AuthConfig

The updated authentication configuration details for the connector destination.

Type: [AuthConfigUpdate](#) object

Required: No

### AuthType

The new authentication type to use for the connector destination.

Type: String

Valid Values: OAUTH

Required: No

### Description

The new description to assign to the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\- ]+

Required: No

### Name

The new display name to assign to the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

### SecretsManager

The updated AWS Secrets Manager configuration for the connector destination.

Type: [SecretsManager](#) object

Required: No

## Response Syntax

```
HTTP/1.1 204
```

## Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# UpdateDestination

Update a destination specified by name.

## Request Syntax

```
PUT /destinations/Name HTTP/1.1
Content-type: application/json

{
  "DeliveryDestinationArn": "string",
  "DeliveryDestinationType": "string",
  "Description": "string",
  "RoleArn": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### Name

The name of the customer-managed destination.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### DeliveryDestinationArn

The Amazon Resource Name (ARN) of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws:[0-9a-zA-Z]+:[0-9a-zA-Z-]+:[0-9]+:[0-9a-zA-Z]+/[0-9a-zA-Z._-]+`

Required: No

### DeliveryDestinationType

The destination type for the customer-managed destination.

Type: String

Valid Values: KINESIS

Required: No

### Description

The description of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[0-9A-Za-z_\-\ ]+`

Required: No

### RoleArn

The Amazon Resource Name (ARN) of the delivery destination role.

Type: String

Required: No

## Response Syntax

```
HTTP/1.1 201
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateEventLogConfiguration

Update an event log configuration by log configuration ID.

## Request Syntax

```
PATCH /event-log-configurations/Id HTTP/1.1
Content-type: application/json

{
  "EventLogLevel": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### Id

The log configuration id.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### EventLogLevel

The log level for the event in terms of severity.

Type: String

Valid Values: DEBUG | ERROR | INFO | WARN

Required: Yes

# Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### AccessDeniedException

User is not authorized.

HTTP Status Code: 403

### InternalServerError

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

### ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

### ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateManagedThing

Update the attributes and capabilities associated with a managed thing.

## Request Syntax

```
PUT /managed-things/Identifier HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "Brand": "string",
  "Capabilities": "string",
  "CapabilityReport": {
    "endpoints": [
      {
        "capabilities": [
          {
            "actions": [ "string" ],
            "events": [ "string" ],
            "id": "string",
            "name": "string",
            "properties": [ "string" ],
            "version": "string"
          }
        ],
        "deviceTypes": [ "string" ],
        "id": "string"
      }
    ],
    "nodeId": "string",
    "version": "string"
  },
  "CapabilitySchemas": [
    {
      "CapabilityId": "string",
      "ExtrinsicId": "string",
      "ExtrinsicVersion": number,
      "Format": "string",
      "Schema": JSON value
    }
  ],
  "Classification": "string",
  "CredentialLockerId": "string",
```

```
"HubNetworkMode": "string",
"MetaData": {
  "string" : "string"
},
"Model": "string",
"Name": "string",
"Owner": "string",
"SerialNumber": "string",
"WiFiSimpleSetupConfiguration": {
  "EnableAsProvisionee": boolean,
  "EnableAsProvisioner": boolean,
  "TimeoutInMinutes": number
}
}
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The id of the managed thing.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Brand

The brand of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

### Capabilities

*This parameter has been deprecated.*

The capabilities of the device such as light bulb.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: `[a-zA-Z0-9\s'\x{0022}, . : \\ \\/ { $ } \ [ \ ] = _ \ - \ + ] +`

Required: No

### CapabilityReport

A report of the capabilities for the managed thing.

Type: [CapabilityReport](#) object

Required: No

### CapabilitySchemas

The updated capability schemas that define the functionality and features supported by the managed thing.

Type: Array of [CapabilitySchemaItem](#) objects

Array Members: Minimum number of 0 items. Maximum number of 40 items.

Required: No

### Classification

The classification of the managed thing such as light bulb or thermostat.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### CredentialLockerId

The identifier of the credential for the managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

Required: No

### HubNetworkMode

The network mode for the hub-connected device.

Type: String

Valid Values: STANDARD | NETWORK\_WIDE\_EXCLUSION

Required: No

### MetaData

The metadata for the managed thing.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 0. Maximum length of 128.

Key Pattern: .\*[a-zA-Z0-9\_.,@/:#-]+.\*

Value Length Constraints: Minimum length of 0. Maximum length of 800.

Value Pattern: .\*[a-zA-Z0-9\_.,@/:#-]\*.\*

Required: No

### Model

The model of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

### Name

The name of the managed thing representing the physical device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

Required: No

### Owner

Owner of the device, usually an indication of whom the device belongs to. This value should not contain personal identifiable information.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9_.,@- ]+`

Required: No

### SerialNumber

The serial number of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[A-Za-z0-9-_ ]+`

Required: No

### WiFiSimpleSetupConfiguration

The Wi-Fi Simple Setup configuration for the managed thing, which defines provisioning capabilities and timeout settings.

Type: [WiFiSimpleSetupConfiguration](#) object

Required: No

## Response Syntax

```
HTTP/1.1 204
```

## Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### AccessDeniedException

User is not authorized.

HTTP Status Code: 403

### ConflictException

There is a conflict with the request.

HTTP Status Code: 409

### InternalServerError

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

### ServiceUnavailableException

The service is temporarily unavailable.

HTTP Status Code: 503

## ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

## UnauthorizedException

You are not authorized to perform this operation.

HTTP Status Code: 401

## ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateNotificationConfiguration

Update a notification configuration.

## Request Syntax

```
PUT /notification-configurations/EventType HTTP/1.1  
Content-type: application/json
```

```
{  
  "DestinationName": "string"  
}
```

## URI Request Parameters

The request uses the following URI parameters.

### EventType

The type of event triggering a device notification to the customer-managed destination.

Valid Values: DEVICE\_COMMAND | DEVICE\_COMMAND\_REQUEST |  
DEVICE\_DISCOVERY\_STATUS | DEVICE\_EVENT | DEVICE\_LIFE\_CYCLE |  
DEVICE\_STATE | DEVICE\_OTA | DEVICE\_WSS | CONNECTOR\_ASSOCIATION |  
ACCOUNT\_ASSOCIATION | CONNECTOR\_ERROR\_REPORT

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### DestinationName

The name of the destination for the notification configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

Required: Yes

## Response Syntax

```
HTTP/1.1 201
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### AccessDeniedException

User is not authorized.

HTTP Status Code: 403

### InternalServerError

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

### ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

### ValidationException

A validation error occurred when performing the API request.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateOtaTask

Update an over-the-air (OTA) task.

## Request Syntax

```
PUT /ota-tasks/Identifier HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "TaskConfigurationId": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### Identifier

The over-the-air (OTA) task id.

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Description

The description of the over-the-air (OTA) task.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\-\ ]+

Required: No

### **TaskConfigurationId**

The identifier for the over-the-air (OTA) task configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

Required: No

## **Response Syntax**

```
HTTP/1.1 204
```

## **Response Elements**

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

## **Errors**

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

User is not authorized.

HTTP Status Code: 403

### **InternalServerErrorException**

Internal error from the service that indicates an unexpected error or that the service is unavailable.

HTTP Status Code: 500

### **ResourceNotFoundException**

The specified resource does not exist.

HTTP Status Code: 404

### **ThrottlingException**

The rate exceeds the limit.

HTTP Status Code: 429

### **ValidationException**

A validation error occurred when performing the API request.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The Managed integrations for AWS IoT Device Management API contains several data types that various actions use. This section describes each data type in detail.

## Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AbortConfigCriteria](#)
- [AccountAssociationItem](#)
- [AuthConfig](#)
- [AuthConfigUpdate](#)
- [AuthMaterial](#)
- [CapabilityAction](#)
- [CapabilityReport](#)
- [CapabilityReportCapability](#)
- [CapabilityReportEndpoint](#)
- [CapabilitySchemaItem](#)
- [CommandCapability](#)
- [CommandEndpoint](#)
- [ConfigurationError](#)
- [ConfigurationStatus](#)
- [ConnectorDestinationSummary](#)
- [ConnectorItem](#)
- [CredentialLockerSummary](#)
- [DestinationSummary](#)
- [Device](#)
- [DeviceDiscoverySummary](#)

- [DiscoveredDeviceSummary](#)
- [EndpointConfig](#)
- [EventLogConfigurationSummary](#)
- [ExponentialRolloutRate](#)
- [GeneralAuthorizationName](#)
- [GeneralAuthorizationUpdate](#)
- [LambdaConfig](#)
- [ManagedThingAssociation](#)
- [ManagedThingSchemaListItem](#)
- [ManagedThingSummary](#)
- [MatterCapabilityReport](#)
- [MatterCapabilityReportAttribute](#)
- [MatterCapabilityReportCluster](#)
- [MatterCapabilityReportEndpoint](#)
- [MatterCluster](#)
- [MatterEndpoint](#)
- [NotificationConfigurationSummary](#)
- [OAuthConfig](#)
- [OAuthUpdate](#)
- [OtaTaskAbortConfig](#)
- [OtaTaskConfigurationSummary](#)
- [OtaTaskExecutionRetryConfig](#)
- [OtaTaskExecutionRolloutConfig](#)
- [OtaTaskExecutionSummaries](#)
- [OtaTaskExecutionSummary](#)
- [OtaTaskSchedulingConfig](#)
- [OtaTaskSummary](#)
- [OtaTaskTimeoutConfig](#)
- [ProactiveRefreshTokenRenewal](#)
- [ProvisioningProfileSummary](#)

- [PushConfig](#)
- [RetryConfigCriteria](#)
- [RolloutRateIncreaseCriteria](#)
- [RuntimeLogConfigurations](#)
- [ScheduleMaintenanceWindow](#)
- [SchemaVersionListItem](#)
- [SecretsManager](#)
- [StateCapability](#)
- [StateEndpoint](#)
- [TaskProcessingDetails](#)
- [WiFiSimpleSetupConfiguration](#)

# AbortConfigCriteria

Structure representing one abort config criteria.

## Contents

### Action

The action taken by the abort configuration.

Type: String

Valid Values: CANCEL

Required: No

### FailureType

Over-the-air (OTA) task abort criteria failure type.

Type: String

Valid Values: FAILED | REJECTED | TIMED\_OUT | ALL

Required: No

### MinNumberOfExecutedThings

The minimum number of things that must receive task execution notifications before the task can be aborted.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

### ThresholdPercentage

The minimum percentage of over-the-air (OTA) task execution failures that must occur to initiate the last abort.

Type: Double

Valid Range: Maximum value of 100.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AccountAssociationItem

Structure containing information about an account association, including its identifier, state, and related metadata.

## Contents

### AccountAssociationId

The unique identifier of the account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

Required: Yes

### AssociationState

The current state of the account association, indicating its status in the association lifecycle.

Type: String

Valid Values: `ASSOCIATION_IN_PROGRESS` | `ASSOCIATION_FAILED` | `ASSOCIATION_SUCCEEDED` | `ASSOCIATION_DELETING` | `REFRESH_TOKEN_EXPIRED`

Required: Yes

### Arn

The Amazon Resource Name (ARN) of the account association.

Type: String

Length Constraints: Minimum length of 67. Maximum length of 1011.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:account-association/[0-9a-zA-Z-]+`

Required: No

## ConnectorDestinationId

The identifier of the connector destination associated with this account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

Required: No

## Description

A description of the account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: [A-Za-z0-9- \_ ]+

Required: No

## ErrorMessage

The error message explaining any issues with the account association, if applicable.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: [A-Za-z0-9- \_ ]+

Required: No

## Name

The name of the account association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9- \_ ]+

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AuthConfig

The authentication configuration details for a connector destination, including OAuth settings and other authentication parameters.

## Contents

### GeneralAuthorization

The authorization materials for General Authorization.

Type: Array of [AuthMaterial](#) objects

Array Members: Minimum number of 0 items. Maximum number of 3 items.

Required: No

### oAuth

The OAuth configuration settings used for authentication with the third-party service.

Type: [OAuthConfig](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AuthConfigUpdate

The updated authentication configuration details for a connector destination.

## Contents

### GeneralAuthorizationUpdate

The General Authorization update information containing authorization materials to add or update.

Type: [GeneralAuthorizationUpdate](#) object

Required: No

### oAuthUpdate

The updated OAuth configuration settings for the authentication configuration.

Type: [OAuthUpdate](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AuthMaterial

The authorization material containing the Secrets Manager arn and version.

## Contents

### AuthMaterialName

The name of the authorization material.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9=\_+/- ]+

Required: Yes

### SecretsManager

Configuration for AWS Secrets Manager, used to securely store and manage sensitive information for connector destinations.

Type: [SecretsManager](#) object

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CapabilityAction

Action for an AWS capability, containing the action parameters for control.

## Contents

### name

Describe a capability action with a name.

Type: String

Pattern: [/a-zA-Z]+

Required: Yes

### actionTraceId

Describe a capability action with an `actionTraceId` for a response command.

Type: String

Length Constraints: Minimum length of 16. Maximum length of 20.

Pattern: [a-zA-Z0-9]+(?:\_[0-9]+)?

Required: No

### parameters

Describe a capability action with a capability property.

Type: JSON value

Required: No

### ref

Describe a capability action with an reference.

Type: String

Pattern: [a-zA-Z.]+

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CapabilityReport

Report of all capabilities supported by the device.

## Contents

### endpoints

The endpoints used in the capability report.

Type: Array of [CapabilityReportEndpoint](#) objects

Array Members: Minimum number of 0 items. Maximum number of 40 items.

Required: Yes

### version

The version of the capability report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10.

Pattern: 1\.\0\.\0

Required: Yes

### nodeId

The numeric identifier of the node.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_.,@+\-/+]

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CapabilityReportCapability

The capability used in capability report.

## Contents

### actions

The capability actions used in the capability report.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[/a-zA-Z0-9\._ -]+`

Required: Yes

### events

The capability events used in the capability report.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[/a-zA-Z0-9\._ -]+`

Required: Yes

### id

The id of the schema version.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 128.

Pattern: `[a-zA-Z0-9.]+@(\d+\.\d+(\.\d+)?)|\$latest)`

Required: Yes

**name**

The name of the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[/a-zA-Z0-9\._ -]+`

Required: Yes

**properties**

The capability properties used in the capability report.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[/a-zA-Z0-9\._ -]+`

Required: Yes

**version**

The version of the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `(0|[1-9][0-9]*)`

Required: Yes

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CapabilityReportEndpoint

The endpoint used in the capability report.

## Contents

### capabilities

The capabilities used in the capability report.

Type: Array of [CapabilityReportCapability](#) objects

Array Members: Minimum number of 0 items. Maximum number of 40 items.

Required: Yes

### deviceTypes

The type of device.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[a-zA-Z0-9=_.,@+\-/+]`

Required: Yes

### id

The id of the endpoint used in the capability report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CapabilitySchemaItem

Structure representing a capability schema item that defines the functionality and features supported by a managed thing.

## Contents

### CapabilityId

The unique identifier of the capability defined in the schema.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 128.

Pattern: `[a-zA-Z0-9.]+@(\d+\.\d+(\.\d+)?)|\$latest)`

Required: Yes

### ExtrinsicId

The external identifier for the capability, used when referencing the capability outside of the AWS ecosystem.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10.

Pattern: `0[xX][0-9a-fA-F]+$|^[0-9]+`

Required: Yes

### ExtrinsicVersion

The version of the external capability definition, used to track compatibility with external systems.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 10.

Required: Yes

## Format

The format of the capability schema, which defines how the schema is structured and interpreted.

Type: String

Valid Values: AWS | ZCL | CONNECTOR

Required: Yes

## Schema

The actual schema definition that describes the capability's properties, actions, and events.

Type: JSON value

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CommandCapability

The command capabilities added for the managed thing

## Contents

### actions

Describe the command capability with the actions it supports.

Type: Array of [CapabilityAction](#) objects

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Required: Yes

### id

Describe the capability with an id.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 128.

Pattern: `[a-zA-Z0-9.]+@(\d+\.\d+(\.\d+)?)|\$latest)`

Required: Yes

### name

Describe the capability with an name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[/a-zA-Z0-9\._ -]+`

Required: Yes

### version

Describe the capability with a version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: (  $\emptyset$  | [1-9][0-9]\* )

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CommandEndpoint

The endpoint for a managed thing when sending a command.

## Contents

### capabilities

Describe the endpoint with an id, a name, and the relevant capabilities for sending commands.

Type: Array of [CommandCapability](#) objects

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Required: Yes

### endpointId

The id of the endpoint for a managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigurationError

Provides the default encryption configuration error update details.

## Contents

### code

The error code returned when the default encryption configuration update fails.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\_-]+

Required: No

### message

The error message returned when the default encryption configuration update fails.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 65535.

Pattern: [a-zA-Z0-9\-.\_, ]+

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigurationStatus

Provides the status of the default encryption configuration for an AWS account.

## Contents

### state

The status state describing the default encryption configuration update.

Type: String

Valid Values: ENABLED | UPDATE\_IN\_PROGRESS | UPDATE\_FAILED

Required: Yes

### error

The error details describing a failed default encryption configuration update.

Type: [ConfigurationError](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConnectorDestinationSummary

Structure containing summary information about a connector destination, which defines how a cloud-to-cloud connector connects to a customer's AWS account.

## Contents

### CloudConnectorId

The identifier of the cloud connector associated with this connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

Required: No

### Description

A description of the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\- ]+

Required: No

### Id

The unique identifier of the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

Required: No

### Name

The display name of the connector destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConnectorItem

Structure describing a connector.

## Contents

### EndpointConfig

The configuration details for the cloud connector endpoint, including connection parameters and authentication requirements.

Type: [EndpointConfig](#) object

Required: Yes

### Name

The display name of the C2C connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: Yes

### Description

A description of the C2C connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [0-9A-Za-z\_\- ]+

Required: No

### EndpointType

The type of endpoint used for the C2C connector.

Type: String

Valid Values: LAMBDA

Required: No

## Id

The identifier of the C2C connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9-\_-]+

Required: No

## Type

The type of cloud connector created.

Type: String

Valid Values: LISTED | UNLISTED

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CredentialLockerSummary

Structure describing one Credential Locker.

## Contents

### Arn

The Amazon Resource Name (ARN) of the credential locker.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 1011.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:credential-locker/[0-9a-zA-Z-]+`

Required: No

### CreatedAt

The timestamp value of when the credential locker was created at.

Type: Timestamp

Required: No

### Id

The id of the credential locker.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9]*`

Required: No

### Name

The name of the credential locker.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DestinationSummary

Structure describing a destination for IoT managed integrations to deliver notifications for a device.

## Contents

### DeliveryDestinationArn

The Amazon Resource Name (ARN) of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws:[0-9a-zA-Z]+:[0-9a-zA-Z-]+:[0-9]+:[0-9a-zA-Z]+/[0-9a-zA-Z._-]+`

Required: No

### DeliveryDestinationType

The destination type for the customer-managed destination.

Type: String

Valid Values: KINESIS

Required: No

### Description

The description of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[0-9A-Za-z_\- ]+`

Required: No

### Name

The name of the customer-managed destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

Required: No

### **RoleArn**

The Amazon Resource Name (ARN) of the delivery destination.

Type: String

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Device

Describe the device using the relevant metadata and supported clusters for device discovery.

## Contents

### CapabilityReport

The capability report for the device.

Type: [MatterCapabilityReport](#) object

Required: Yes

### ConnectorDeviceId

The device id as defined by the connector.

#### Note

This parameter is used for cloud-to-cloud devices only.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\_.,@- ]+

Required: Yes

### CapabilitySchemas

Report of all capabilities supported by the device.

Type: Array of [CapabilitySchemaItem](#) objects

Array Members: Minimum number of 0 items. Maximum number of 40 items.

Required: No

### ConnectorDeviceName

The name of the device as defined by the connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\p{L}\p{N} ._- ]+`

Required: No

## DeviceMetadata

The metadata attributes for a device.

Type: JSON value

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DeviceDiscoverySummary

Structure containing summary information about a device discovery job, including its identifier, type, and status.

## Contents

### DiscoveryType

The type of discovery process used to find devices.

Type: String

Valid Values: ZWAVE | ZIGBEE | CLOUD | CUSTOM | CONTROLLER\_CAPABILITY\_REDISCOVERY

Required: No

### Id

The unique identifier of the device discovery job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: No

### Status

The current status of the device discovery job.

Type: String

Valid Values: RUNNING | SUCCEEDED | FAILED | TIMED\_OUT

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DiscoveredDeviceSummary

Structure containing summary information about a device discovered during a device discovery job.

## Contents

### AuthenticationMaterial

The authentication material required for connecting to the discovered device, such as credentials or tokens.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: `[0-9A-Za-z!#$%&()*\+\-;<=>?@^_`{|}~\/: {} , \\" ]+`

Required: No

### Brand

The brand of the discovered device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[A-Za-z0-9-_ ]+`

Required: No

### ConnectorDeviceId

The third-party device identifier as defined by the connector. This identifier must not contain personal identifiable information (PII).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z0-9_.,@- ]+`

Required: No

## ConnectorDeviceName

The name of the device as defined by the connector or third-party system.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\p{L}\p{N} ._- ]+`

Required: No

## DeviceTypes

The list of device types or categories that the discovered device belongs to.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[a-zA-Z0-9=_.,@+\- / ]+`

Required: No

## DiscoveredAt

The timestamp indicating when the device was discovered.

Type: Timestamp

Required: No

## ManagedThingId

The identifier of the managed thing created for this discovered device, if one exists.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9: _- ]*`

Required: No

## Model

The model of the discovered device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

### Modification

The status of the discovered device, indicating whether it has been added, removed, or modified since the last discovery.

Type: String

Valid Values: DISCOVERED | UPDATED | NO\_CHANGE

Required: No

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EndpointConfig

The configuration details for an endpoint, which defines how to connect to and communicate with external services.

## Contents

### lambda

The Lambda function configuration for the endpoint, used when the endpoint communicates through an AWS Lambda function.

Type: [LambdaConfig](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EventLogConfigurationSummary

List of event log configurations.

## Contents

### EventLogLevel

The logging level for the event log configuration.

Type: String

Valid Values: DEBUG | ERROR | INFO | WARN

Required: No

### Id

The identifier of the event log configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: No

### ResourceId

The identifier of the resource for the event log configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [a-zA-Z0-9+]\*

Required: No

### ResourceType

The type of resource for the event log configuration.

Type: String

Pattern: [\*]\$|^ (managed-thing|credential-locker|provisioning-profile|ota-task|account-association)

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ExponentialRolloutRate

Structure representing exponential rate of rollout for an over-the-air (OTA) task.

## Contents

### BaseRatePerMinute

The base rate per minute for the rollout of an over-the-air (OTA) task.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

### IncrementFactor

The incremental factor for increasing the rollout rate of an over-the-air (OTA) task.

Type: Double

Valid Range: Minimum value of 1.1. Maximum value of 5.

Required: No

### RateIncreaseCriteria

The criteria for increasing the rollout rate of an over-the-air (OTA) task.

Type: [RolloutRateIncreaseCriteria](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# GeneralAuthorizationName

The General Authorization reference by authorization material name.

## Contents

### AuthMaterialName

The name of the authorization material.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9=\_+/- ]+

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GeneralAuthorizationUpdate

The General Authorization update information containing authorization materials to add or update.

## Contents

### AuthMaterialsToAdd

The authorization materials to add.

Type: Array of [AuthMaterial](#) objects

Array Members: Minimum number of 0 items. Maximum number of 3 items.

Required: No

### AuthMaterialsToUpdate

The authorization materials to update.

Type: Array of [AuthMaterial](#) objects

Array Members: Minimum number of 0 items. Maximum number of 3 items.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# LambdaConfig

Configuration details for an AWS Lambda function used as an endpoint for a cloud connector.

## Contents

### arn

The Amazon Resource Name (ARN) of the Lambda function used as an endpoint.

Type: String

Pattern: (arn:aws:lambda:[0-9a-zA-Z-]+:[0-9]+:function:)?([a-zA-Z0-9-\_.]+(:|\$LATEST|[a-zA-Z0-9-\_.]+))?)

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ManagedThingAssociation

Structure representing an association between a managed thing and an account association, which connects a device to a third-party account.

## Contents

### AccountAssociationId

The identifier of the account association in the association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

Required: No

### ManagedThingAssociationStatus

The status of the registration between the managed thing and the account association. Indicates whether the device is pre-associated or fully associated with the account association.

Type: String

Valid Values: `PRE_ASSOCIATED` | `ASSOCIATED`

Required: No

### ManagedThingId

The identifier of the managed thing in the association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9:_-]*`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ManagedThingSchemaListItem

Structure representing one schema item associated with a managed thing.

## Contents

### CapabilityId

The id of the capability for a managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9./]+(@\d+\. \d+)?`

Required: No

### EndpointId

The id of the endpoint for a managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

Required: No

### Schema

The validation schema for one schema item associated with a managed thing.

Type: JSON value

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ManagedThingSummary

Structure representing one managed thing.

## Contents

### ActivatedAt

The timestamp value of when the managed thing was activated at.

Type: Timestamp

Required: No

### AdvertisedProductId

The id of the advertised product.

Type: String

Length Constraints: Fixed length of 5.

Pattern: (`[A-Za-z0-9!#$%&()*\+\-\; <=>?@^_`{|}~]`)+

Required: No

### Arn

The Amazon Resource Name (ARN) of the managed thing.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 1011.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:managed-thing/([0-9a-zA-Z:_-])+`

Required: No

### Brand

The brand of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9- \_ ]+

Required: No

### Classification

The classification of the managed thing such as light bulb or thermostat.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### ConnectorDestinationId

The identifier of the connector destination associated with this managed thing, if applicable.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_ ]+

Required: No

### ConnectorDeviceId

The third-party device id as defined by the connector. This device id must not contain personal identifiable information (PII).

#### Note

This parameter is used for cloud-to-cloud devices only.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\_.,@- ]+

Required: No

## ConnectorPolicyId

*This member has been deprecated.*

The id of the connector policy.

### Note

This parameter is used for cloud-to-cloud devices only.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

Required: No

## CreatedAt

The timestamp value of when the device creation request occurred.

Type: Timestamp

Required: No

## CredentialLockerId

The identifier of the credential locker for the managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

Required: No

## Id

The id of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

Required: No

### Model

The model of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

### Name

The name of the managed thing representing the physical device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [\p{L}\p{N} .\_- ]+

Required: No

### Owner

Owner of the device, usually an indication of whom the device belongs to. This value should not contain personal identifiable information.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9\_.,@- ]+

Required: No

### ParentControllerId

Id of the controller device used for the discovery job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9]+

Required: No

### **ProvisioningStatus**

The provisioning status of the device in the provisioning workflow for onboarding to IoT managed integrations. For more information, see [Device Provisioning](#).

Type: String

Valid Values: UNASSOCIATED | PRE\_ASSOCIATED | DISCOVERED | ACTIVATED | DELETION\_FAILED | DELETE\_IN\_PROGRESS | ISOLATED | DELETED

Required: No

### **Role**

The type of device used. This will be the AWS hub controller, cloud device, or AWS IoT device.

Type: String

Valid Values: CONTROLLER | DEVICE

Required: No

### **SerialNumber**

The serial number of the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9- \_ ]+

Required: No

### **UpdatedAt**

The timestamp value of when the managed thing was last updated at.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MatterCapabilityReport

Matter based capability report.

## Contents

### endpoints

The endpoints used in the capability report.

Type: Array of [MatterCapabilityReportEndpoint](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: Yes

### version

The version of the capability report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10.

Pattern: 1\.\0\.\0

Required: Yes

### nodeId

The numeric identifier of the node.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9=\_.,@+\-/+]

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MatterCapabilityReportAttribute

Matter attribute used in capability report.

## Contents

### id

The id of the Matter attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 24.

Pattern: `0[xX][0-9a-fA-F]+$|^[0-9]+`

Required: No

### name

Name for the AWS Matter capability report attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[/a-zA-Z0-9\._ -]+`

Required: No

### value

Value for the AWS Matter capability report attribute.

Type: JSON value

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MatterCapabilityReportCluster

Capability used in Matter capability report.

## Contents

### id

The id of the AWS Matter capability report cluster.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 24.

Pattern:  $0[xX][0-9a-fA-F]+$|^ [0-9]+$

Required: Yes

### revision

The id of the revision for the AWS Matter capability report.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 10.

Required: Yes

### attributes

The attributes of the AWS Matter capability report.

Type: Array of [MatterCapabilityReportAttribute](#) objects

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Required: No

### commands

The commands used with the AWS Matter capability report.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 24.

Pattern:  $0[xX][0-9a-fA-F]+\$|^+[0-9]^+$

Required: No

## **events**

The events used with the AWS Matter capability report.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 24.

Pattern:  $0[xX][0-9a-fA-F]+\$|^+[0-9]^+$

Required: No

## **fabricIndex**

The fabric index for the AWS Matter capability report.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 4096.

Required: No

## **featureMap**

32 bit-map used to indicate which features a cluster supports.

Type: Long

Valid Range: Minimum value of 0. Maximum value of 4294967295.

Required: No

## **generatedCommands**

Matter clusters used in capability report.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 24.

Pattern: `0[xX][0-9a-fA-F]+$|^[0-9]+`

Required: No

### **name**

The capability name used in the AWS Matter capability report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[/a-zA-Z0-9\._ -]+`

Required: No

### **publicId**

The id of the schema version.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 128.

Pattern: `[a-zA-Z0-9.]+@(\d+\.\d+(\.\d+)?)|\$latest)`

Required: No

### **specVersion**

The spec version used in the AWS Matter capability report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `\d+\.\d+`

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MatterCapabilityReportEndpoint

Matter endpoint used in capability report.

## Contents

### clusters

Matter clusters used in capability report.

Type: Array of [MatterCapabilityReportCluster](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: Yes

### deviceTypes

The type of device.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[a-zA-Z0-9=_.,@+\-/+]`

Required: Yes

### id

The id of the AWS Matter capability report endpoint.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

Required: Yes

### clientClusters

Semantic information related to endpoint.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Length Constraints: Minimum length of 1. Maximum length of 24.

Pattern:  $\emptyset[xX][\emptyset-9a-fA-F]^+|\wedge[\emptyset-9]^+$

Required: No

## parts

Heirachy of child endpoints contained in the given endpoint.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern:  $[\emptyset-9a-zA-Z]^+$

Required: No

## semanticTags

Semantic information related to endpoint.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 32 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern:  $[\emptyset-9a-zA-Z._-]^+$

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MatterCluster

Describe a Matter cluster with an id, and the relevant attributes, commands, and events.

## Contents

### attributes

The Matter attributes.

Type: JSON value

Required: No

### commands

Describe the Matter commands with the Matter command identifier mapped to the command fields.

Type: String to JSON value map

Map Entries: Maximum number of 5 items.

Key Length Constraints: Minimum length of 1. Maximum length of 24.

Key Pattern:  $0[xX][0-9a-fA-F]+\$|^[0-9]+$

Required: No

### events

Describe the Matter events with the Matter event identifier mapped to the event fields.

Type: String to JSON value map

Map Entries: Maximum number of 5 items.

Key Length Constraints: Minimum length of 1. Maximum length of 24.

Key Pattern:  $0[xX][0-9a-fA-F]+\$|^[0-9]+$

Required: No

### id

The cluster id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 24.

Pattern: `0[xX][0-9a-fA-F]+$|^[0-9]+`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MatterEndpoint

Structure describing a managed thing.

## Contents

### clusters

A list of Matter clusters for a managed thing.

Type: Array of [MatterCluster](#) objects

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Required: No

### id

The Matter endpoint id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# NotificationConfigurationSummary

Structure describing a notification configuration.

## Contents

### DestinationName

The name of the destination for the notification configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{N} ._- ]+`

Required: No

### EventType

The type of event triggering a device notification to the customer-managed destination.

Type: String

Valid Values: `DEVICE_COMMAND | DEVICE_COMMAND_REQUEST | DEVICE_DISCOVERY_STATUS | DEVICE_EVENT | DEVICE_LIFE_CYCLE | DEVICE_STATE | DEVICE_OTA | DEVICE_WSS | CONNECTOR_ASSOCIATION | ACCOUNT_ASSOCIATION | CONNECTOR_ERROR_REPORT`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OAuthConfig

Configuration details for OAuth authentication with a third-party service.

## Contents

### authUrl

The authorization URL for the OAuth service, where users are directed to authenticate and authorize access.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `https?:\:\/\/(www\.)?[-a-zA-Z0-9@:%._\+~#={1,256}\. [a-zA-Z0-9()]{1,6}([-a-zA-Z0-9()@:%._\+~#?&\/=]*)`

Required: Yes

### tokenEndpointAuthenticationScheme

The authentication scheme used when requesting tokens from the token endpoint.

Type: String

Valid Values: HTTP\_BASIC | REQUEST\_BODY\_CREDENTIALS

Required: Yes

### tokenUrl

The token URL for the OAuth service, where authorization codes are exchanged for access tokens.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `https?:\:\/\/(www\.)?[-a-zA-Z0-9@:%._\+~#={1,256}\. [a-zA-Z0-9()]{1,6}([-a-zA-Z0-9()@:%._\+~#?&\/=]*)`

Required: Yes

## **oAuthCompleteRedirectUrl**

The URL where users are redirected after completing the OAuth authorization process.

Type: String

Required: No

## **proactiveRefreshTokenRenewal**

Configuration for proactively refreshing OAuth tokens before they expire.

Type: [ProactiveRefreshTokenRenewal](#) object

Required: No

## **scope**

The OAuth scopes requested during authorization, which define the permissions granted to the application.

Type: String

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OAuthUpdate

Structure containing updated OAuth configuration settings.

## Contents

### **oAuthCompleteRedirectUrl**

The updated URL where users are redirected after completing the OAuth authorization process.

Type: String

Required: No

### **proactiveRefreshTokenRenewal**

Updated configuration for proactively refreshing OAuth tokens before they expire.

Type: [ProactiveRefreshTokenRenewal](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OtaTaskAbortConfig

Over-the-air (OTA) task abort config.

## Contents

### AbortConfigCriteriaList

The list of criteria for the abort config.

Type: Array of [AbortConfigCriteria](#) objects

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OtaTaskConfigurationSummary

Structure representing one over-the-air (OTA) task configuration.

## Contents

### CreatedAt

The timestamp value of when the over-the-air (OTA) task configuration was created at.

Type: Timestamp

Required: No

### Name

The name of the over-the-air (OTA) task configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-\_ ]+

Required: No

### TaskConfigurationId

The id of the over-the-air (OTA) task configuration

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OtaTaskExecutionRetryConfig

Over-the-air (OTA) task retry config.

## Contents

### RetryConfigCriteria

The list of retry config criteria.

Type: Array of [RetryConfigCriteria](#) objects

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OtaTaskExecutionRolloutConfig

Over-the-air (OTA) task rollout config.

## Contents

### ExponentialRolloutRate

Structure representing exponential rate of rollout for an over-the-air (OTA) task.

Type: [ExponentialRolloutRate](#) object

Required: No

### MaximumPerMinute

The maximum number of things that will be notified of a pending task, per minute.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OtaTaskExecutionSummaries

Structure representing one execution summary.

## Contents

### ManagedThingId

The id of a managed thing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9:\_-]\*

Required: No

### TaskExecutionSummary

Structure representing one over-the-air (OTA) task execution summary

Type: [OtaTaskExecutionSummary](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OtaTaskExecutionSummary

Structure representing one over-the-air (OTA) task execution summary.

## Contents

### ExecutionNumber

The execution number of the over-the-air (OTA) task execution summary.

Type: Long

Required: No

### LastUpdatedAt

The timestamp value of when the over-the-air (OTA) task execution summary was last updated.

Type: Timestamp

Required: No

### QueuedAt

The timestamp value of when the over-the-air (OTA) task execution summary is targeted to start.

Type: Timestamp

Required: No

### RetryAttempt

The number of retry attempts for starting the over-the-air (OTA) task execution summary after a failed attempt.

Type: Integer

Required: No

### StartedAt

The timestamp value of when the over-the-air (OTA) task execution summary started.

Type: Timestamp

Required: No

## Status

The status of the over-the-air (OTA) task execution summary.

Type: String

Valid Values: QUEUED | IN\_PROGRESS | SUCCEEDED | FAILED | TIMED\_OUT | REJECTED | REMOVED | CANCELED

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OtaTaskSchedulingConfig

Over-the-air (OTA) task scheduling config.

## Contents

### EndBehavior

Specifies the end behavior for all task executions after a task reaches the selected `endTime`. If `endTime` is not selected when creating the task, then `endBehavior` does not apply.

Type: String

Valid Values: `STOP_ROLLOUT` | `CANCEL` | `FORCE_CANCEL`

Required: No

### EndTime

The time an over-the-air (OTA) task will stop.

Type: String

Required: No

### MaintenanceWindows

Maintenance window list for over-the-air (OTA) task scheduling config.

Type: Array of [ScheduleMaintenanceWindow](#) objects

Required: No

### StartTime

The time an over-the-air (OTA) task will start.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OtaTaskSummary

Structure representing one over-the-air (OTA) task.

## Contents

### CreatedAt

The timestamp value of when the over-the-air (OTA) task was created at.

Type: Timestamp

Required: No

### LastUpdatedAt

The timestamp value of when the over-the-air (OTA) task was last updated at.

Type: Timestamp

Required: No

### Status

The status of the over-the-air (OTA) task summary.

Type: String

Valid Values: IN\_PROGRESS | CANCELED | COMPLETED | DELETION\_IN\_PROGRESS | SCHEDULED

Required: No

### TaskArn

The Amazon Resource Name (ARN) of the over-the-air (OTA) task.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 1011.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:ota-task/[0-9a-zA-Z-]+`

Required: No

## TaskConfigurationId

The identifier for the over-the-air (OTA) task configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9]\*

Required: No

## TaskId

The id of the over-the-air (OTA) task.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: [A-Za-z0-9]+

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OtaTaskTimeoutConfig

Over-the-air (OTA) task timeout config.

## Contents

### InProgressTimeoutInMinutes

Specifies the amount of time the device has to finish execution of this task. The timeout interval can be anywhere between 1 minute and 7 days.

Type: Long

Valid Range: Minimum value of 1. Maximum value of 10080.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ProactiveRefreshTokenRenewal

Configuration settings for proactively refreshing OAuth tokens before they expire.

## Contents

### DaysBeforeRenewal

The days before token expiration when the system should attempt to renew the token, specified in days.

Type: Integer

Valid Range: Minimum value of 30.

Required: No

### enabled

Indicates whether proactive refresh token renewal is enabled.

Type: Boolean

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ProvisioningProfileSummary

Structure describing a provisioning profile.

## Contents

### Arn

The Amazon Resource Name (ARN) of the provisioning profile.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 64.

Pattern: `arn:aws:iotmanagedintegrations:[0-9a-zA-Z-]+:[0-9]+:provisioning-profile/[0-9a-zA-Z-]+`

Required: No

### Id

The identifier of the provisioning profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9-_-]+`

Required: No

### Name

The name of the provisioning profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `[0-9A-Za-z_-]+`

Required: No

### ProvisioningType

The type of provisioning workflow the device uses for onboarding to IoT managed integrations.

Type: String

Valid Values: FLEET\_PROVISIONING | JITR

Required: No

## Status

The status of a provisioning profile.

Type: String

Valid Values: CREATE\_IN\_PROGRESS | CREATE\_FAILED | CREATED | DELETE\_IN\_PROGRESS | DELETE\_FAILED

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PushConfig

Structure representing a push config.

## Contents

### AbortConfig

Structure representing one abort config.

Type: [OtaTaskAbortConfig](#) object

Required: No

### RolloutConfig

Structure representing one rollout config.

Type: [OtaTaskExecutionRolloutConfig](#) object

Required: No

### TimeoutConfig

Structure representing one timeout config.

Type: [OtaTaskTimeoutConfig](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RetryConfigCriteria

Structure representing one retry config criteria.

## Contents

### FailureType

Over-the-air (OTA) retry criteria failure type.

Type: String

Valid Values: FAILED | TIMED\_OUT | ALL

Required: No

### MinNumberOfRetries

The number of retries allowed for a failure type for the over-the-air (OTA) task.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 10.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RolloutRateIncreaseCriteria

Structure representing rollout config criteria.

## Contents

### **numberOfNotifiedThings**

The threshold for number of notified things that will initiate the increase in rate of rollout.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

### **numberOfSucceededThings**

The threshold for number of succeeded things that will initiate the increase in rate of rollout.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RuntimeLogConfigurations

The different configurations for runtime logs.

## Contents

### DeleteLocalStoreAfterUpload

Configuration to enable or disable deleting of runtime logs in the device once uploaded to the cloud.

Type: Boolean

Required: No

### LocalStoreFileRotationMaxBytes

Configuration to set the maximum bytes of runtime logs that can be stored on the device before the oldest logs are deleted or overwritten.

Type: Integer

Required: No

### LocalStoreFileRotationMaxFiles

Configuration to set the maximum number of runtime log files that can be stored on the device before the oldest files are deleted or overwritten.

Type: Integer

Required: No

### LocalStoreLocation

Configuration of where to store runtime logs in the device.

Type: String

Required: No

### LogFlushLevel

The different log levels available for configuration.

Type: String

Valid Values: DEBUG | ERROR | INFO | WARN

Required: No

### LogLevel

The different log levels available for configuration.

Type: String

Valid Values: DEBUG | ERROR | INFO | WARN

Required: No

### UploadLog

Configuration to enable or disable uploading of runtime logs to the cloud.

Type: Boolean

Required: No

### UploadPeriodMinutes

Configuration to set the time interval in minutes between each batch of runtime logs that the device uploads to the cloud.

Type: Integer

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ScheduleMaintenanceWindow

Structure representing scheduling maintenance window.

## Contents

### DurationInMinutes

Displays the duration of the next maintenance window.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1430.

Required: No

### StartTime

Displays the start time of the next maintenance window.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SchemaVersionListItem

List item describing a schema version.

## Contents

### Description

A description of the schema version.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 2048.

Pattern: [a-zA-Z0-9.,/ -]+

Required: No

### Namespace

The name of the schema version.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 12.

Pattern: [a-z0-9]+

Required: No

### Schemald

The identifier of the schema version.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 128.

Pattern: [a-zA-Z0-9.]+

Required: No

### SemanticVersion

The schema version. If this is left blank, it defaults to the latest version.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 12.

Pattern: `(\d+\.\d+(\.\d+)?)|\$latest)`

Required: No

## Type

The type of schema version.

Type: String

Valid Values: `capability` | `definition`

Required: No

## Visibility

The visibility of the schema version.

Type: String

Valid Values: `PUBLIC` | `PRIVATE`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SecretsManager

Configuration for AWS Secrets Manager, used to securely store and manage sensitive information for connector destinations.

## Contents

### arn

The Amazon Resource Name (ARN) of the AWS Secrets Manager secret.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws:secretsmanager:[0-9a-zA-Z-]{1,32}:\d{12}:secret:[A-Za-z0-9/_+=.@-]{8,520}`

Required: Yes

### versionId

The version ID of the AWS Secrets Manager secret.

Type: String

Length Constraints: Minimum length of 32. Maximum length of 64.

Pattern: `[a-zA-Z0-9-_-]{32,64}`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# StateCapability

State capabilities added for the managed thing.

## Contents

### id

The id of the managed thing in the capability report.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 128.

Pattern: `[a-zA-Z0-9.]+@(\d+\.\d+(\.\d+)?)|\$latest)`

Required: Yes

### name

Name for the AWS capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[/a-zA-Z0-9\._ -]+`

Required: Yes

### version

Version for the AWS capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `(0|[1-9][0-9]*)`

Required: Yes

### properties

Describe the command capability with the properties it supports.

Type: JSON value

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# StateEndpoint

Describe the endpoint with an Id, a name, and the relevant capabilities for reporting state

## Contents

### capabilities

Describe the endpoint with an id, a name, and the relevant capabilities for the reporting state.

Type: Array of [StateCapability](#) objects

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Required: Yes

### endpointId

Numeric identifier of the endpoint

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9a-zA-Z]+`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TaskProcessingDetails

Details about the over-the-air (OTA) task process.

## Contents

### NumberOfCanceledThings

The number of canceled things in an over-the-air (OTA) task.

Type: Integer

Required: No

### NumberOfFailedThings

The number of failed things in an over-the-air (OTA) task.

Type: Integer

Required: No

### NumberOfInProgressThings

The number of in progress things in an over-the-air (OTA) task.

Type: Integer

Required: No

### numberOfQueuedThings

The number of queued things in an over-the-air (OTA) task.

Type: Integer

Required: No

### numberOfRejectedThings

The number of rejected things in an over-the-air (OTA) task.

Type: Integer

Required: No

### **numberOfRemovedThings**

The number of removed things in an over-the-air (OTA) task.

Type: Integer

Required: No

### **numberOfSucceededThings**

The number of succeeded things in an over-the-air (OTA) task.

Type: Integer

Required: No

### **numberOfTimedOutThings**

The number of timed out things in an over-the-air (OTA) task.

Type: Integer

Required: No

### **processingTargets**

The targets of the over-the-air (OTA) task.

Type: Array of strings

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WiFiSimpleSetupConfiguration

The Wi-Fi Simple Setup configuration for the managed thing, which defines provisioning capabilities and timeout settings.

## Contents

### EnableAsProvisionee

Indicates whether the device can act as a provisionee in Wi-Fi Simple Setup, allowing it to be configured by other devices.

Type: Boolean

Required: No

### EnableAsProvisioner

Indicates whether the device can act as a provisioner in Wi-Fi Simple Setup, allowing it to configure other devices.

Type: Boolean

Required: No

### TimeoutInMinutes

The timeout duration in minutes for Wi-Fi Simple Setup. Valid range is 5 to 15 minutes.

Type: Integer

Valid Range: Minimum value of 5. Maximum value of 15.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request"). The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

## X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

### **X-Amz-Security-Token**

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

### **X-Amz-Signature**

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### **X-Amz-SignedHeaders**

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

## Required: Conditional

# Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

## **AccessDeniedException**

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

## **ExpiredTokenException**

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

## **IncompleteSignature**

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

## **InternalFailure**

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

## **MalformedHttpRequestException**

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

**NotAuthorized**

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

**OptInRequired**

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

**RequestAbortedException**

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

**RequestEntityTooLargeException**

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

**RequestTimeoutException**

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

**ServiceUnavailable**

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

**ThrottlingException**

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

**UnknownOperationException**

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

**UnrecognizedClientException**

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

**ValidationError**

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400