Ruby - Bug #14246

Inconsistent C source code indentation

12/27/2017 09:22 AM - shyouhei (Shyouhei Urabe)

Status:	Closed		
Priority:	Normal		
Assignee:			
Target version	:		
ruby -v:		Backport:	2.3: UNKNOWN, 2.4: UNKNOWN, 2.5: UNKNOWN
Description			
I would like to fo	ocus on following 238 C source codes in our r	epository.	
% git ls-fil 238	.es grep '\.\(c\ h\ def\)\$' gr	ep -v 'ext spec tes	st' wc -1
Here, in these 2	38 files, 10 files are indented using spaces or	nly.	
-	.es grep '\.\(c\ h\ def\)\$' gr files-without-match \$'^\t' xar		
On the other ha	nd 66 files are indented using tabs.		
-	.es grep '\.\(c\ h\ def\)\$' gr files-with-match \$'^\t' xargs		
Other 61 files do	o not indent. We should not bother them.		
% git ls-files grep '\.\(c\ h\ def\)\$' grep -v 'ext spec test' \ xargs grepfiles-without-match \$'^\t' xargs grepfiles-without-match '^ ' wc -l 61			
So far so good.	But what about remaining 101 files? The an	swer is obvious; these file	es MIX indents.
% git ls-files grep '\.\(c\ h\ def\)\$' grep -v 'ext spec test' \ xargs grepfiles-with-match \$'^\t' xargs grepfiles-with-match '^ ' wc -l 101			
This is totally wr	rong. No matter should we use spaces or tab	s for indentations, it must	be consistent.
Related issues	:		
Related to Ruby -	Misc #16112: Reduce the possibility of "expand tal	bs" commit	Closed

Associated revisions

Revision 224bbbdc3a7662654cae0deea9b6387a1a657599 - 01/25/2018 12:11 AM - znz (Kazuhiro NISHIYAMA)

.editorconfig: Use spaces instead of tab except Makefiles

ref [Bug #14246] [ci skip]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@62033 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 224bbbdc - 01/25/2018 12:11 AM - znz (Kazuhiro NISHIYAMA)

.editorconfig: Use spaces instead of tab except Makefiles

ref [Bug #14246] [ci skip]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@62033 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision b83ae7476ef12014c26f0666f46e72d1837ffce0 - 03/17/2018 02:37 AM - k0kubun (Takashi Kokubun)

misc/ruby-style.el: use spaces for indentation

instead of hard tabs.

[Bug #14246]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@62789 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision b83ae747 - 03/17/2018 02:37 AM - k0kubun (Takashi Kokubun)

misc/ruby-style.el: use spaces for indentation

instead of hard tabs.

[Bug #14246]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@62789 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision acc48fce30b413c158d06e5578ac73b07ed60b69 - 06/06/2018 06:14 AM - yui-knk (Kaneko Yuichiro)

ast.c: Change tabs to spaces

 ast.c: I created a new C source code file with tabs and spaces mixed format by mistake. Currently we move to spaces only.
Surely we agreed not to batch update. But ast.c is a new source code. So please forgive me to change the format before many changes are committed this file.
I'm sorry about my mistake.

ref [Bug #14246]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@63586 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision acc48fce30b413c158d06e5578ac73b07ed60b69 - 06/06/2018 06:14 AM - yui-knk (Kaneko Yuichiro)

ast.c: Change tabs to spaces

 ast.c: I created a new C source code file with tabs and spaces mixed format by mistake. Currently we move to spaces only.
Surely we agreed not to batch update. But ast.c is a new source code. So please forgive me to change the format before many changes are committed this file.
I'm sorry about my mistake.

ref [Bug #14246]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@63586 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision acc48fce - 06/06/2018 06:14 AM - yui-knk (Kaneko Yuichiro)

ast.c: Change tabs to spaces

 ast.c: I created a new C source code file with tabs and spaces mixed format by mistake. Currently we move to spaces only.
Surely we agreed not to batch update. But ast.c is a new source code. So please forgive me to change the format before many changes are committed this file.
I'm sorry about my mistake.

ref [Bug #14246]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@63586 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 36fa6af2e831e40fe318f1e68b389c83a853521a - 07/01/2018 01:38 AM - znz (Kazuhiro NISHIYAMA)

[DOC] newer codes recommend to use spaces only

[Bug #14246] [ci skip]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@63811 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 36fa6af2e831e40fe318f1e68b389c83a853521a - 07/01/2018 01:38 AM - znz (Kazuhiro NISHIYAMA)

[DOC] newer codes recommend to use spaces only

[Bug #14246] [ci skip]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@63811 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 36fa6af2 - 07/01/2018 01:38 AM - znz (Kazuhiro NISHIYAMA)

[DOC] newer codes recommend to use spaces only

[Bug #14246] [ci skip]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@63811 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

History

#1 - 12/27/2017 10:19 AM - duerst (Martin Dürst)

I'm all for better consistency. I thought there were clear guidelines for Ruby, and (almost) everybody was following them. I didn't know it was that bad.

But fixing spacing will obscure where the code originally came from. I don't really like that.

To improve the situation, I have the following suggestions:

- 1. Install an SVN bot that fixes indents on newly committed lines automatically. That would hopefully catch the attention of the committers.
- 2. Based on svn blame, get a picture of who is how good (or not) at following the guidelines, and gently nudge everybody in the right direction.

[Somebody sooner or later will start discussion on what the best way of indenting should be. If you want to do this, please make it a separate issue. Please tag it as "joke" (because we don't have a "bikeshed" category).]

#2 - 12/27/2017 10:36 AM - shyouhei (Shyouhei Urabe)

- Description updated

#3 - 12/27/2017 11:08 AM - normalperson (Eric Wong)

duerst@it.aoyama.ac.jp wrote:

I'm all for better consistency. I thought there were clear guidelines for Ruby, and (almost) everybody was following them. I didn't know it was that bad.

Right, I remember it being 4 spaces per-level, and use TAB whenever it's 8 spaces. AFAIK, that's the Emacs default and I've seen this in several other projects, so not uncommon.. In vim, I use: :set ts=8 sw=4 sts=4 noexpandtab

But fixing spacing will obscure where the code originally came from. I don't really like that.

Agreed 100%. Noise makes code archaelogy harder, I don't like whitespace-only changes; but I'd be happy to see them if one is in the affected area and already changing code, and the proposed SVN bot might help with that...

I admit that I moved some existing all-space code not long ago and did not notice it, but nobu fixed it for me :x

- To improve the situation, I have the following suggestions:
 - Install an SVN bot that fixes indents on newly committed lines automatically. That would hopefully catch the attention of the committers.

Instead of auto-fixing, it should email the committer; that ought to reduce future screwups.

#4 - 12/30/2017 01:29 PM - znz (Kazuhiro NISHIYAMA)

I think that guidelines are .editorconfig for most editors, misc/ruby-style.el for Emacs, and .indent.pro for indent.

#5 - 01/05/2018 06:13 PM - vo.x (Vit Ondruch)

Let me quote Developers How-To 1:

- indent
- 4 for C
- 2 for Ruby
- tab/space
- Do not use TABs in ruby codes ruby-dev:19388
- Use TAB instead of 8 SPs in C. (Emacs's default style)

#6 - 01/05/2018 08:46 PM - naruse (Yui NARUSE)

Just FYI, there's a format tool named clang-format. https://clang.llvm.org/docs/ClangFormat.html

I use following options: https://github.com/nurse/strptime/blob/master/.clang-format

#7 - 01/14/2018 05:56 PM - graywolf (Gray Wolf)

As @vo.x already pointed out, there are guidelines for the indentation. So based on the guidelines the 101 files are (probably) correctly indented and the 76 (10 + 66) files are (probably) wrongly indented.

#8 - 01/15/2018 02:26 AM - shyouhei (Shyouhei Urabe)

@graywolf we are talking about C codes here. The "Do not use TABs" policy applies to non-C files.

#9 - 01/15/2018 02:37 AM - graywolf (Gray Wolf)

I can't count to 8 in

```
xargs grep --files-with-match '^ '`
```

, sorry, just ignore me. :/

#10 - 01/24/2018 08:00 AM - shyouhei (Shyouhei Urabe)

We discussed this issue in today's developer meeting.

- We agreed not to batch update the indents at once. Indents should become consistent over time.
- Matz has no strong opinion on this topic.
- We agreed to move to spaces only. Reasons behind this:
 - No contemporary advantage of mixing tabs and spaces today.
 - Emacs fans at the meeting could use ruby-style.el, and that style can be updated.

So the next action is:

- Modify ruby-style.el and other config files.
- Use them.

#11 - 01/25/2018 12:11 AM - Anonymous

- Status changed from Open to Closed

Applied in changeset trunk|r62033.

.editorconfig: Use spaces instead of tab except Makefiles

ref [Bug <u>#14246]</u> [ci skip]

#12 - 01/31/2018 12:04 PM - znz (Kazuhiro NISHIYAMA)

- Status changed from Closed to Open

Re-open because accidentally closed.

At least misc/ruby-style.el set to tabs.

#13 - 03/17/2018 02:37 AM - k0kubun (Takashi Kokubun)

- Status changed from Open to Closed

Applied in changeset trunk|r62789.

misc/ruby-style.el: use spaces for indentation

instead of hard tabs.

[Bug <u>#14246</u>]

#14 - 08/21/2019 01:25 PM - k0kubun (Takashi Kokubun)

- Related to Misc #16112: Reduce the possibility of "expand tabs" commit occurrences added

#15 - 05/26/2022 02:58 AM - ioquatix (Samuel Williams)

https://github.com/ruby/ruby/pull/5946 experiment with clang-format.

#16 - 06/24/2022 04:22 AM - ioquatix (Samuel Williams)

Does this policy apply to the formatting of default gems too?

#17 - 06/27/2022 12:28 AM - shyouhei (Shyouhei Urabe)

ioquatix (Samuel Williams) wrote in #note-16:

Does this policy apply to the formatting of default gems too?

I don't think so. One good thing about splitting things into gems is they can have their own policies (release timing etc.). I support each gems having distinct point of view as to what code is a beautiful code.