

Ruby - Bug #14740

You may have encountered a bug in the Ruby interpreter or extension libraries. Bug reports are welcome.

05/07/2018 08:47 AM - Kllokura (Dante Abreu)

Status:	Closed	
Priority:	Normal	
Assignee:		
Target version:		
ruby -v:	ruby 2.4.1p111 (2017-03-22 revision 58053) [armv7l-linux-eabihf]	Backport: 2.3: UNKNOWN, 2.4: UNKNOWN, 2.5: UNKNOWN
Description		
re_ext/kernel_require.rb:20:in require_with_bootsnap_lfi' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/loaded_features_index.rb:65:in register' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:21:in block in require_with_bootsnap_lfi' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:21:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support.rb:29:in <main> /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:283:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:249:in load_dependency' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:283:in block in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:29:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:20:in require_with_bootsnap_lfi' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/loaded_features_index.rb:65:in register' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:21:in block in require_with_bootsnap_lfi' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:21:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/logger.rb:3:in ' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:283:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:249:in load_dependency' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:283:in block in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:29:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:20:in require_with_bootsnap_lfi' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/loaded_features_index.rb:65:in register' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:21:in block in require_with_bootsnap_lfi' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:21:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/logger_silence.rb:5:in <main> /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:283:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:249:in load_dependency' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:283:in block in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:29:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:20:in require_with_bootsnap_lfi' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/loaded_features_index.rb:65:in register' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:21:in block in require_with_bootsnap_lfi' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:21:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent.rb:4:in ' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:283:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:249:in load_dependency' /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb:283:in block in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:29:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:20:in require_with_bootsnap_lfi' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/loaded_features_index.rb:65:in register' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:21:in block in require_with_bootsnap_lfi' /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:21:in require' /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/configuration.rb:2:in <main>'		

[illegible]

```
/home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/compile_cache/iseq.rb:18:in storage_to_output'  
'/home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/compile_cache/iseq.rb:18:in load_from_binary'
```

-- Other runtime information -----

- Loaded script: bin/rails

- Loaded features:

```
0 enumerator.so  
1 thread.rb  
2 rational.so  
3 complex.so  
4 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/enc/encdb.so  
5 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/enc/trans/transdb.so  
6 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/unicode_normalize.rb  
7 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/rbconfig.rb  
8 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/compatibility.rb  
9 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/defaults.rb  
10 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/deprecate.rb  
11 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/errors.rb  
12 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/version.rb  
13 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/requirement.rb  
14 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/platform.rb  
15 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/basic_specification.rb  
16 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/stub_specification.rb  
17 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/util/list.rb  
18 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/stringio.so  
19 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/specification.rb  
20 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/exceptions.rb  
21 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/dependency.rb  
22 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/core_ext/kernel_gem.rb  
23 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/monitor.rb  
24 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/core_ext/kernel_require.rb  
25 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems.rb  
26 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/path_support.rb  
27 /home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean/version.rb  
28 /home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean/core_ext/name_error.rb  
29 /home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean/levenshtein.rb  
30 /home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean/jaro_winkler.rb  
31 /home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean/spell_checker.rb  
32 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/delegate.rb  
33  
/home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean/spell_checkers/name_error_checkers/class_name_checker.rb  
34  
/home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean/spell_checkers/name_error_checkers/variable_name_checker.rb  
35  
/home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean/spell_checkers/name_error_checkers.rb  
36  
/home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean/spell_checkers/method_name_checker.rb  
37 /home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean/spell_checkers/null_checker.rb  
38 /home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean/formatter.rb  
39 /home/pi/.rvm/gems/ruby-2.4.1@global/gems/did_you_mean-1.1.0/lib/did_you_mean.rb  
40 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/version.rb  
41 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/compatibility_guard.rb  
42 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/pathname.so  
43 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/pathname.rb  
44 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/constants.rb  
45 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/util.rb  
46 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/io/console.so  
47 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/user_interaction.rb  
48 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/etc.so  
49 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/config_file.rb  
50 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/rubygems_integration.rb  
51 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/current_ruby.rb
```

52 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/shared_helpers.rb
53 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/fileutils/lib/fileutils.rb
54 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/fileutils/lib/fileutils.rb
55 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/errors.rb
56 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/environment_preserver.rb
57 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/plugin/api.rb
58 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/plugin.rb
59 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/uri/rfc2396_parser.rb
60 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/uri/rfc3986_parser.rb
61 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/uri/common.rb
62 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/uri/generic.rb
63 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/uri/ftp.rb
64 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/uri/http.rb
65 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/uri/https.rb
66 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/uri/ldap.rb
67 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/uri/ldaps.rb
68 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/uri/mailto.rb
69 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/uri.rb
70 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/fileutils.rb
71 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/digest.so
72 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/digest.rb
73 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/source/git.rb
74 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/source/installed.rb
75 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/source/specific_file.rb
76 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/source/local.rb
77 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/source/lock.rb
78 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/source/vendor.rb
79 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/source.rb
80 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/gem_helpers.rb
81 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/match_platform.rb
82 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/rubygems_ext.rb
83 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/build_metadata.rb
84 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler.rb
85 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/settings.rb
86 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/site_ruby/2.4.0/rubygems/ext/builder.rb
87 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/feature_flag.rb
88 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/source.rb
89 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/source/path.rb
90 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/source/git.rb
91 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/source/rubygems.rb
92 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/lockfile_parser.rb
93 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/set.rb
94 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/definition.rb
95 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/dependency.rb
96 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/ruby_dsl.rb
97 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/dsl.rb
98 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/source_list.rb
99 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/source/metadata.rb
100 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/ruby_version.rb
101 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/lazy_specification.rb
102 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/index.rb
103 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/tsort.rb
104 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/forwardable/impl.rb
105 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/forwardable.rb
106 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/spec_set.rb
107 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/compatibility.rb
108 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/gem_metadata.rb
109
/home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/delegates/specification_provider.rb
110 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/errors.rb
111 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/dependency_graph/action.rb
112
/home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/dependency_graph/add_edge_no_circular.rb
113
/home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/dependency_graph/add_vertex.rb
114

/home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/dependency_graph/delete_edge.rb
115
/home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/dependency_graph/detach_vertex_named.rb
116
/home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/dependency_graph/set_payload.rb
117 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/dependency_graph/tag.rb
118 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/dependency_graph/log.rb
119 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/dependency_graph/vertex.rb
120 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/dependency_graph.rb
121 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/state.rb
122
/home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/modules/specification_provider.rb
123 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/delegates/resolution_state.rb
124 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/resolution.rb
125 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/resolver.rb
126 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo/modules/ui.rb
127 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo/lib/molinillo.rb
128 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/vendor/molinillo.rb
129 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/resolver/spec_group.rb
130 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/resolver.rb
131 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/gem_version_promoter.rb
132 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/source/gemspec.rb
133 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/runtime.rb
134 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/dep_proxy.rb
135 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/ui.rb
136 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/ui/silent.rb
137 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/ui/rg_proxy.rb
138 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/remote_specification.rb
139 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/stub_specification.rb
140 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/endpoint_specification.rb
141 /home/pi/.rvm/gems/ruby-2.4.1/gems/bundler-1.16.1/lib/bundler/setup.rb
142 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/errors.rb
143 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/json.rb
144 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/digest/md5.so
145 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/tmpdir.rb
146 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/version.rb
147 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/fiddle.so
148 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/fiddle/function.rb
149 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/fiddle/closure.rb
150 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/fiddle.rb
151 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/sid.rb
152 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/configuration.rb
153 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/env.rb
154 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/client/command.rb
155 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/socket.so
156 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/io/wait.so
157 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/socket.rb
158 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/client/run.rb
159 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/client/help.rb
160 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/client/binstub.rb
161 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/client/stop.rb
162 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/client/status.rb
163 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/client/rails.rb
164 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/client/version.rb
165 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/client/server.rb
166 /home/pi/.rvm/gems/ruby-2.4.1/gems/spring-2.0.2/lib/spring/client.rb
167 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/version.rb
168 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/bundler.rb
169 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/explicit_require.rb
170 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/path_scanner.rb
171 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/path.rb
172 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/cache.rb
173 /home/pi/.rvm/gems/ruby-2.4.1/gems/msgpack-1.2.4/lib/msgpack/version.rb
174 /home/pi/.rvm/gems/ruby-2.4.1/gems/msgpack-1.2.4/lib/msgpack/msgpack.so
175 /home/pi/.rvm/gems/ruby-2.4.1/gems/msgpack-1.2.4/lib/msgpack/packer.rb
176 /home/pi/.rvm/gems/ruby-2.4.1/gems/msgpack-1.2.4/lib/msgpack/unpacker.rb

177 /home/pi/.rvm/gems/ruby-2.4.1/gems/msgpack-1.2.4/lib/msgpack/factory.rb
178 /home/pi/.rvm/gems/ruby-2.4.1/gems/msgpack-1.2.4/lib/msgpack/symbol.rb
179 /home/pi/.rvm/gems/ruby-2.4.1/gems/msgpack-1.2.4/lib/msgpack/core_ext.rb
180 /home/pi/.rvm/gems/ruby-2.4.1/gems/msgpack-1.2.4/lib/msgpack.rb
181 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/store.rb
182 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/change_observer.rb
183 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/loaded_features_index.rb
184 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/realpath_cache.rb
185 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache.rb
186 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/compile_cache.rb
187 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap.rb
188 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb
189 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/constants.rb
190 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/utility/engine.rb
191 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/abstract_object.rb
192 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/utility/native_extension_loader.rb
193 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/mri_object.rb
194 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/jruby_object.rb
195 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/rbx_object.rb
196 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/truffle_object.rb
197 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/object.rb
198 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/volatile.rb
199 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/abstract_lockable_object.rb
200 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/mri_lockable_object.rb
201 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/jruby_lockable_object.rb
202 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/rbx_lockable_object.rb
203 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/truffle_lockable_object.rb
204 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/lockable_object.rb
205 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/condition.rb
206 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization/lock.rb
207 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/synchronization.rb
208 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/collection/map/non_concurrent_map_backend.rb
209 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/collection/map/mri_map_backend.rb
210 /home/pi/.rvm/gems/ruby-2.4.1/gems/concurrent-ruby-1.0.5/lib/concurrent/map.rb
211 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/module/aliasing.rb
212 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/array/extract_options.rb
213 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/regexp.rb
214 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/module/attribute_accessors.rb
215 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/array/prepend_and_append.rb
216 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/hash/deep_merge.rb
217 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/hash/except.rb
218 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/hash/slice.rb
219 /home/pi/.rvm/gems/ruby-2.4.1/gems/i18n-1.0.1/lib/i18n/version.rb
220 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/cgi/core.rb
221 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/cgi/escape.so
222 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/cgi/util.rb
223 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/cgi/cookie.rb
224 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/cgi.rb
225 /home/pi/.rvm/gems/ruby-2.4.1/gems/i18n-1.0.1/lib/i18n/exceptions.rb
226 /home/pi/.rvm/gems/ruby-2.4.1/gems/i18n-1.0.1/lib/i18n/interpolate/ruby.rb
227 /home/pi/.rvm/gems/ruby-2.4.1/gems/i18n-1.0.1/lib/i18n.rb
228 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/lazy_load_hooks.rb
229 /home/pi/.rvm/gems/ruby-2.4.1/gems/i18n-1.0.1/lib/i18n/config.rb
230 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/i18n.rb
231 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/singleton.rb
232 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/kernel/singleton_class.rb
233 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/module/delegation.rb
234 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/deprecation/instance_delegator.rb
235 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/openssl.so
236 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/openssl/bn.rb
237 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/openssl/pkey.rb
238 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/openssl/cipher.rb
239 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/openssl/config.rb
240 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/openssl/digest.rb
241 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/openssl/x509.rb
242 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/openssl/buffering.rb
243 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/io/nonblock.so

244 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/openssl/ssl.rb
245 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/openssl.rb
246 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/securerandom.rb
247 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/notifications/instrumenter.rb
248 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/mutex_m.rb
249 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/notifications/fanout.rb
250 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/per_thread_registry.rb
251 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/notifications.rb
252 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/deprecation/behaviors.rb
253 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/deprecation/reporting.rb
254 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/deprecation/constant_accessor.rb
255 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/deprecation/method_wrappers.rb
256 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/deprecation/proxy_wrappers.rb
257 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/module/deprecation.rb
258 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/deprecation.rb
259 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/inflector/inflections.rb
260 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/multibyte.rb
261 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/string/multibyte.rb
262 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/inflector/transliterate.rb
263 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/inflections.rb
264 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/inflector/methods.rb
265 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/string/inflections.rb
266 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/inflector.rb
267 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/module/introspection.rb
268 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/module/anonymous.rb
269 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/object/blank.rb
270 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/kernel/reporting.rb
271 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/load_error.rb
272 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/name_error.rb
273 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/core_ext/string/starts_ends_with.rb
274 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/concurrency/share_lock.rb
275 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies/interlock.rb
276 /home/pi/.rvm/gems/ruby-2.4.1/gems/activesupport-5.2.0/lib/active_support/dependencies.rb
277 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/load_path_cache/core_ext/active_support.rb
278 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/bootsnap.so
279 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/zlib.so
280 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/compile_cache/iseq.rb
281 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/compile_cache/yaml.rb
282 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/versions.rb
283 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/exception.rb
284 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/syntax_error.rb
285 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/psych.so
286 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/omap.rb
287 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/set.rb
288 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/class_loader.rb
289 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/strscan.so
290 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/scalar_scanner.rb
291 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/nodes/node.rb
292 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/nodes/stream.rb
293 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/nodes/document.rb
294 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/nodes/sequence.rb
295 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/nodes/scalar.rb
296 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/nodes/mapping.rb
297 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/nodes/alias.rb
298 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/nodes.rb
299 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/streaming.rb
300 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/visitors/visitor.rb
301 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/visitors/to_ruby.rb
302 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/visitors/emitter.rb
303 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/handler.rb
304 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/tree_builder.rb
305 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/visitors/yaml_tree.rb
306 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/json/ruby_events.rb
307 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/visitors/json_tree.rb
308 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/visitors/depth_first.rb
309 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/visitors.rb
310 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/parser.rb

```

311 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/coder.rb
312 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/core_ext.rb
313 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/date_core.so
314 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/date.rb
315 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/deprecated.rb
316 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/stream.rb
317 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/json/yaml_events.rb
318 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/json/tree_builder.rb
319 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/json/stream.rb
320 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych/handlers/document_stream.rb
321 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/psych.rb
322 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/yaml.rb
323 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb
324 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb
325 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb
326 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb
327 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb
328 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb
329 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb
330 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb
331 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb
332 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb
333 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb
334 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/setup.rb

```

- Process memory map:

```

00010000-00011000 r-xp 00000000 b3:07 679861 /home/pi/.rvm/rubies/ruby-2.4.1/bin/ruby
00020000-00021000 rw-p 00000000 b3:07 679861 /home/pi/.rvm/rubies/ruby-2.4.1/bin/ruby
01fa7000-02a03000 rw-p 00000000 00:00 0 [heap]
762d1000-762fe000 r-xp 00000000 b3:07 790115 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/date_core.so
762fe000-7630e000 ---p 0002d000 b3:07 790115 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/date_core.so
7630e000-7630f000 rw-p 0002d000 b3:07 790115 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/date_core.so
7630f000-76314000 r-xp 00000000 b3:07 790109 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/strscan.so
76314000-76324000 ---p 00005000 b3:07 790109 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/strscan.so
76324000-76325000 rw-p 00005000 b3:07 790109 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/strscan.so
76325000-7633e000 r-xp 00000000 b3:07 283269 /usr/lib/arm-linux-gnueabi/libyaml-0.so.2.0.4
7633e000-7634e000 ---p 00019000 b3:07 283269 /usr/lib/arm-linux-gnueabi/libyaml-0.so.2.0.4
7634e000-7634f000 r--p 00019000 b3:07 283269 /usr/lib/arm-linux-gnueabi/libyaml-0.so.2.0.4
7634f000-76350000 rw-p 0001a000 b3:07 283269 /usr/lib/arm-linux-gnueabi/libyaml-0.so.2.0.4
76350000-76355000 r-xp 00000000 b3:07 790199 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/psych.so
76355000-76364000 ---p 00005000 b3:07 790199 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/psych.so
76364000-76365000 rw-p 00004000 b3:07 790199 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/psych.so
76365000-7637b000 r-xp 00000000 b3:07 153631 /lib/arm-linux-gnueabi/libz.so.1.2.8
7637b000-7638a000 ---p 00016000 b3:07 153631 /lib/arm-linux-gnueabi/libz.so.1.2.8
7638a000-7638b000 rw-p 00015000 b3:07 153631 /lib/arm-linux-gnueabi/libz.so.1.2.8
7638b000-7638c000 r-xp 00016000 b3:07 153631 /lib/arm-linux-gnueabi/libz.so.1.2.8
7638c000-763ae000 r-xp 00000000 b3:07 790100 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/zlib.so
763ae000-763bd000 ---p 0000e000 b3:07 790100 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/zlib.so
763bd000-763be000 rw-p 0000d000 b3:07 790100 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/zlib.so
763be000-763c0000 r-xp 00000000 b3:07 428172 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/bootsnap.so
763c0000-763d0000 ---p 00002000 b3:07 428172 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/bootsnap.so
763d0000-763d1000 rw-p 00002000 b3:07 428172 /home/pi/.rvm/gems/ruby-2.4.1/gems/bootsnap-1.3.0/lib/bootsnap/bootsnap.so
763d1000-76402000 rw-p 00000000 00:00 0
76402000-76403000 r-xp 00000000 b3:07 790194 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/io/nonblock.so
76403000-76412000 ---p 00001000 b3:07 790194 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/io/nonblock.so
76412000-76413000 rw-p 00000000 b3:07 790194 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/io/nonblock.so
76413000-7645e000 r-xp 00000000 b3:07 790103 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/openssl.so
7645e000-7646e000 ---p 0004b000 b3:07 790103 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/openssl.so
7646e000-76470000 rw-p 0004b000 b3:07 790103 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/openssl.so
76470000-76472000 r-xp 00000000 b3:07 790188 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/cgi/escape.so
76472000-76481000 ---p 00002000 b3:07 790188 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/cgi/escape.so
76481000-76482000 rw-p 00001000 b3:07 790188 /home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/cgi/escape.so

```

76482000-764c4000	rw-p 00000000 00:00 0	
764c4000-764d4000	r-xp 00000000 b3:07 428135	/home/pi/.rvm/gems/ruby-2.4.1/gems/msgpack-1.2.4/lib/msgpack/msgpack.so
764d4000-764e3000	---p 00010000 b3:07 428135	/home/pi/.rvm/gems/ruby-2.4.1/gems/msgpack-1.2.4/lib/msgpack/msgpack.so
764e3000-764e4000	rw-p 0000f000 b3:07 428135	/home/pi/.rvm/gems/ruby-2.4.1/gems/msgpack-1.2.4/lib/msgpack/msgpack.so
764e4000-7650b000	r-xp 00000000 b3:07 790190	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/socket.so
7650b000-7651a000	---p 00027000 b3:07 790190	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/socket.so
7651a000-7651b000	rw-p 00026000 b3:07 790190	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/socket.so
7651b000-76538000	r-xp 00000000 b3:07 149490	/lib/arm-linux-gnueabi/hf/libgcc_s.so.1
76538000-76547000	---p 0001d000 b3:07 149490	/lib/arm-linux-gnueabi/hf/libgcc_s.so.1
76547000-76548000	rw-p 0001c000 b3:07 149490	/lib/arm-linux-gnueabi/hf/libgcc_s.so.1
76548000-7654f000	r-xp 00000000 b3:07 283211	/usr/lib/arm-linux-gnueabi/hf/libffi.so.6.0.2
7654f000-7655e000	---p 00007000 b3:07 283211	/usr/lib/arm-linux-gnueabi/hf/libffi.so.6.0.2
7655e000-7655f000	r--p 00006000 b3:07 283211	/usr/lib/arm-linux-gnueabi/hf/libffi.so.6.0.2
7655f000-76560000	rw-p 00007000 b3:07 283211	/usr/lib/arm-linux-gnueabi/hf/libffi.so.6.0.2
76560000-76567000	r-xp 00000000 b3:07 790202	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/fiddle.so
76567000-76576000	---p 00007000 b3:07 790202	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/fiddle.so
76576000-76577000	rw-p 00006000 b3:07 790202	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/fiddle.so
76577000-765bc000	r-xp 00000000 b3:07 288444	/usr/lib/arm-linux-gnueabi/hf/libssl.so.1.0.0
765bc000-765cb000	---p 00045000 b3:07 288444	/usr/lib/arm-linux-gnueabi/hf/libssl.so.1.0.0
765cb000-765cd000	r--p 00044000 b3:07 288444	/usr/lib/arm-linux-gnueabi/hf/libssl.so.1.0.0
765cd000-765d1000	rw-p 00046000 b3:07 288444	/usr/lib/arm-linux-gnueabi/hf/libssl.so.1.0.0
765d1000-76716000	r-xp 00000000 b3:07 288443	/usr/lib/arm-linux-gnueabi/hf/libcrypto.so.1.0.0
76716000-76726000	---p 00145000 b3:07 288443	/usr/lib/arm-linux-gnueabi/hf/libcrypto.so.1.0.0
76726000-76733000	r--p 00145000 b3:07 288443	/usr/lib/arm-linux-gnueabi/hf/libcrypto.so.1.0.0
76733000-7673b000	rw-p 00152000 b3:07 288443	/usr/lib/arm-linux-gnueabi/hf/libcrypto.so.1.0.0
7673b000-7673f000	rw-p 00000000 00:00 0	
76741000-76743000	r-xp 00000000 b3:07 790193	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/io/wait.so
76743000-76752000	---p 00002000 b3:07 790193	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/io/wait.so
76752000-76753000	rw-p 00001000 b3:07 790193	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/io/wait.so
76753000-76754000	r-xp 00000000 b3:07 790122	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/digest/md5.so
76754000-76763000	---p 00001000 b3:07 790122	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/digest/md5.so
76763000-76764000	rw-p 00000000 b3:07 790122	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/digest/md5.so
76764000-76795000	rw-p 00000000 00:00 0	
76795000-76798000	r-xp 00000000 b3:07 790197	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/digest.so
76798000-767a7000	---p 00003000 b3:07 790197	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/digest.so
767a7000-767a8000	rw-p 00002000 b3:07 790197	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/digest.so
767a8000-767ad000	r-xp 00000000 b3:07 790108	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/etc.so
767ad000-767bd000	---p 00005000 b3:07 790108	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/etc.so
767bd000-767be000	rw-p 00005000 b3:07 790108	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/etc.so
767be000-767c2000	r-xp 00000000 b3:07 790192	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/io/console.so
767c2000-767d1000	---p 00004000 b3:07 790192	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/io/console.so
767d1000-767d2000	rw-p 00003000 b3:07 790192	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/io/console.so
767d2000-767d9000	r-xp 00000000 b3:07 790102	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/pathname.so
767d9000-767e8000	---p 00007000 b3:07 790102	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/pathname.so
767e8000-767e9000	rw-p 00006000 b3:07 790102	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/pathname.so
767e9000-767ef000	r-xp 00000000 b3:07 790110	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/stringio.so
767ef000-767ff000	---p 00006000 b3:07 790110	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/stringio.so
767ff000-76800000	rw-p 00006000 b3:07 790110	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/stringio.so
76800000-76802000	r-xp 00000000 b3:07 790170	
76802000-76811000	---p 00002000 b3:07 790170	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/enc/trans/transdb.so
76811000-76812000	rw-p 00001000 b3:07 790170	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/enc/trans/transdb.so
76812000-76814000	r-xp 00000000 b3:07 790135	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/enc/trans/transdb.so
76814000-76823000	---p 00002000 b3:07 790135	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/enc/trans/transdb.so
76823000-76824000	rw-p 00001000 b3:07 790135	/home/pi/.rvm/rubies/ruby-2.4.1/lib/ruby/2.4.0/armv7l-linux-eabi/hf/enc/trans/transdb.so
76824000-768a5000	rw-p 00000000 00:00 0	
768a5000-76a2e000	r--p 00000000 b3:07 285660	/usr/lib/locale/locale-archive
76a2e000-76b59000	r-xp 00000000 b3:07 153483	/lib/arm-linux-gnueabi/hf/libc-2.19.so
76b59000-76b69000	---p 0012b000 b3:07 153483	/lib/arm-linux-gnueabi/hf/libc-2.19.so
76b69000-76b6b000	r--p 0012b000 b3:07 153483	/lib/arm-linux-gnueabi/hf/libc-2.19.so
76b6b000-76b6c000	rw-p 0012d000 b3:07 153483	/lib/arm-linux-gnueabi/hf/libc-2.19.so
76b6c000-76b6f000	rw-p 00000000 00:00 0	
76b6f000-76bd8000	r-xp 00000000 b3:07 153463	/lib/arm-linux-gnueabi/hf/libm-2.19.so
76bd8000-76be8000	---p 00069000 b3:07 153463	/lib/arm-linux-gnueabi/hf/libm-2.19.so

76be8000-76be9000	r--p 00069000 b3:07 153463	/lib/arm-linux-gnueabi/libm-2.19.so
76be9000-76bea000	rw-p 0006a000 b3:07 153463	/lib/arm-linux-gnueabi/libm-2.19.so
76bea000-76bf1000	r-xp 00000000 b3:07 153595	/lib/arm-linux-gnueabi/libcrypt-2.19.so
76bf1000-76c00000	---p 00007000 b3:07 153595	/lib/arm-linux-gnueabi/libcrypt-2.19.so
76c00000-76c01000	r--p 00006000 b3:07 153595	/lib/arm-linux-gnueabi/libcrypt-2.19.so
76c01000-76c02000	rw-p 00007000 b3:07 153595	/lib/arm-linux-gnueabi/libcrypt-2.19.so
76c02000-76c29000	rw-p 00000000 00:00 0	
76c29000-76c2b000	r-xp 00000000 b3:07 153598	/lib/arm-linux-gnueabi/libdl-2.19.so
76c2b000-76c3a000	---p 00002000 b3:07 153598	/lib/arm-linux-gnueabi/libdl-2.19.so
76c3a000-76c3b000	r--p 00001000 b3:07 153598	/lib/arm-linux-gnueabi/libdl-2.19.so
76c3b000-76c3c000	rw-p 00002000 b3:07 153598	/lib/arm-linux-gnueabi/libdl-2.19.so
76c3c000-76c9d000	r-xp 00000000 b3:07 283119	/usr/lib/arm-linux-gnueabi/libgmp.so.10.2.0
76c9d000-76cac000	---p 00061000 b3:07 283119	/usr/lib/arm-linux-gnueabi/libgmp.so.10.2.0
76cac000-76cad000	r--p 00060000 b3:07 283119	/usr/lib/arm-linux-gnueabi/libgmp.so.10.2.0
76cad000-76cae000	rw-p 00061000 b3:07 283119	/usr/lib/arm-linux-gnueabi/libgmp.so.10.2.0
76cae000-76cc2000	r-xp 00000000 b3:07 153568	/lib/arm-linux-gnueabi/libpthread-2.19.so
76cc2000-76cd2000	---p 00014000 b3:07 153568	/lib/arm-linux-gnueabi/libpthread-2.19.so
76cd2000-76cd3000	r--p 00014000 b3:07 153568	/lib/arm-linux-gnueabi/libpthread-2.19.so
76cd3000-76cd4000	rw-p 00015000 b3:07 153568	/lib/arm-linux-gnueabi/libpthread-2.19.so
76cd4000-76cd6000	rw-p 00000000 00:00 0	
76ce3000-76cea000	r--s 00000000 b3:07 284573	/usr/lib/arm-linux-gnueabi/gconv/gconv-modules.cache
76cea000-76f72000	r-xp 00000000 b3:07 679863	/home/pi/.rvm/rubies/ruby-2.4.1/lib/libruby.so.2.4.1
76f72000-76f81000	---p 00288000 b3:07 679863	/home/pi/.rvm/rubies/ruby-2.4.1/lib/libruby.so.2.4.1
76f81000-76f86000	rw-p 00287000 b3:07 679863	/home/pi/.rvm/rubies/ruby-2.4.1/lib/libruby.so.2.4.1
76f86000-76f8c000	rw-p 00000000 00:00 0	
76f8c000-76f91000	r-xp 00000000 b3:07 283809	/usr/lib/arm-linux-gnueabi/libarmmem.so
76f91000-76fa0000	---p 00005000 b3:07 283809	/usr/lib/arm-linux-gnueabi/libarmmem.so
76fa0000-76fa1000	rw-p 00004000 b3:07 283809	/usr/lib/arm-linux-gnueabi/libarmmem.so
76fa1000-76fc1000	r-xp 00000000 b3:07 153593	/lib/arm-linux-gnueabi/ld-2.19.so
76fc6000-76fc7000	rw-p 00000000 00:00 0	
76fc7000-76fc8000	---p 00000000 00:00 0	
76fc8000-76fcb000	rxwp 00000000 00:00 0	
76fcb000-76fd0000	rw-p 00000000 00:00 0	
76fd0000-76fd1000	r--p 0001f000 b3:07 153593	/lib/arm-linux-gnueabi/ld-2.19.so
76fd1000-76fd2000	rw-p 00020000 b3:07 153593	/lib/arm-linux-gnueabi/ld-2.19.so
7e1df000-7e9de000	rxwp 00000000 00:00 0	[stack]
7e9de000-7e9df000	rw-p 00000000 00:00 0	
7efc2000-7efc3000	r-xp 00000000 00:00 0	[sigpage]
7efc3000-7efc4000	r--p 00000000 00:00 0	[vvar]
7efc4000-7efc5000	r-xp 00000000 00:00 0	[vdso]
ffff0000-ffff1000	r-xp 00000000 00:00 0	[vectors]

Related issues:	
Related to Ruby - Bug #13670: [BUG] Bus Error at 0xfce7b (armv7l) (ruby 2.3....	Closed

History

#1 - 05/07/2018 08:54 AM - wanabe (_ wanabe)
- Related to Bug #13670: [BUG] Bus Error at 0xfce7b (armv7l) (ruby 2.3.4p301) added
#2 - 08/13/2019 05:26 AM - jeremyevans0 (Jeremy Evans)
- Status changed from Open to Closed