

Ruby - Bug #20729

Test failure with 0fc8422a05 and native mswin environment

09/13/2024 12:47 AM - hsbt (Hiroshi SHIBATA)

Status:	Closed	Backport: 3.1: UNKNOWN, 3.2: UNKNOWN, 3.3: UNKNOWN
Priority:	Normal	
Assignee:	kddnewton (Kevin Newton)	
Target version:		
ruby -v:		

Description

I got the following failure with mswin environment.

```
1) Failure:
TestRubyOptions#test_command_line_progname_nonascii [C:/Users/hsbt/DevDrive/github.com/ruby/ruby/test/ruby/test_rubyoptions.rb:1086]:
[ruby-dev:48752] [Bug #10555]
pid 22932 exit 1
| C:\Users\hsbt\DevDrive\github.com\ruby\ruby.build\2022\ruby.exe: No such file or directory -- ◆◆
.rb (LoadError)
.

1. [1/2] Assertion for "stdout"
| <["\x{8198}.rb"]> expected but was
| <[]>.

2. [2/2] Assertion for "stderr"
| <[]> expected but was
| <["C:\\Users\\hsbt\\DevDrive\\github.com\\ruby\\ruby.build\\2022\\ruby.exe: No such file or d
irectory -- \x{8198}.rb (LoadError)"]>.
```

History

- #1 - 09/20/2024 03:47 PM - kddnewton (Kevin Newton)
- [@hsbt \(Hiroshi SHIBATA\)](#) I haven't been able to replicate this — are you still experiencing it?
- #2 - 09/20/2024 09:34 PM - hsbt (Hiroshi SHIBATA)
- Yes. I still faced this.
- #3 - 09/23/2024 07:06 PM - kddnewton (Kevin Newton)
- [@hsbt \(Hiroshi SHIBATA\)](#) is there any way you can open a pull request with a failing test? All of the windows environments I'm seeing on CI are passing and I'm not currently able to replicate any other way.
- #4 - 09/30/2024 01:52 AM - hsbt (Hiroshi SHIBATA)
- Status changed from Open to Closed
 - Assignee set to [kjtsanaksidis \(KJ Tsanaksidis\)](#)
- This is fixed by <https://github.com/ruby/ruby/pull/11719>
- #5 - 09/30/2024 01:52 AM - hsbt (Hiroshi SHIBATA)
- Assignee changed from [kjtsanaksidis \(KJ Tsanaksidis\)](#) to [kddnewton \(Kevin Newton\)](#)