



# TOWARDS UNIVERSAL SPEECH DISCRETE TOKENS: A CASE STUDY FOR ASR AND TTS

Yifan Yang\*,<sup>1</sup>, Feiyu Shen\*,<sup>1</sup>, Chenpeng Du<sup>1</sup>, Ziyang Ma<sup>1</sup>, Kai Yu<sup>1</sup>, Daniel Povey<sup>†,2</sup>, Xie Chen<sup>†,1</sup>

MoE Key Lab of Artificial Intelligence, AI Institute
 X-LANCE Lab, Department of Computer Science and Engineering, Shanghai Jiao Tong University, China
 Xiaomi Corporation, Beijing, China


<u>yifanyeung@sjtu.edu.cn</u> 2024.04.17

# **Motivation**

Why speech discrete tokens?

- Lower bandwidth: 1 int vs 80-dim float
- Akin to BPE used in NLP tasks

# Method at a Glance




# Semantic and acoustic discrete tokens from speech:

- Speech-based SSL models
  - e.g. vq-wav2vec; HuBERT; WavLM
- Neural Codec
  - e.g. EnCodec; DAC

#### Two way to discretize speech:

- K-means
- VQ


# **Method at a Glance**



#### Discrete tokens for speech tasks:

- ASR
- TTS


# **ASR** with Discrete Tokens



#### **ASR** with Discretized Input

- Random initialized embedding
- If multiple groups exist:
  - Concatenate
  - Linear projection to compress
- Interpolated to a uniform 100 Hz rate

# **ASR** with Discrete Tokens



#### **Discretized Input Augmentation Policy**

- Time Warping
- Time Masking
- Embedding Masking
- Gaussian Noise

# ASR with Discrete Tokens on LibriSpeech 100h

Method	Eastron	# Units	Bandwidth	test	
Memod	Feature	# Units	(kbps)	clean	other
Chang at al. (2022) [12]	FBank	-	256.00	8.30	22.20
Chang et al. (2023) [12]	WavLM-Large	2000	0.55	5.90	12.80
Ours	FBank		256.00	6.27	16.67
	WavLM-Large	2000	0.55	5.22	11.85
	HuBERT-Large	2000	0.55	5.19	11.94
	EnCodec	$1024^{8}$	6.00	7.16	22.04
	vq-wav2vec	$320^{2}$	1.66	11.76	33.08

- Discrete tokens outperform FBank on small-scale data
- Discrete tokens from WavLM work best

# ASR with Discrete Tokens on LibriSpeech 960h

Method	Feature	# TIn:4a	test	
Method	reature			other
Chang at al. (2022) [12]	FBank	2000 3.00 - 2.23 2000 2.29 2000 2.29	2.60	6.20
Chang et al. (2023) [12]	WavLM-Large		3.00	7.00
/ 3	FBank	FEB	2.23	5.15
	WavLM-Large	2000	2.29	5.50
Ours	HuBERT-Large	2000	2.29	5.73
	EnCodec	$1024^{8}$	2.57	6.81
	vq-wav2vec	$320^{2}$	3.19	9.44

- Discrete tokens are competitive with FBank
- Discrete tokens from WavLM still work best

# ASR on GigaSpeech 1000h & AISHELL-1

Dataset	Feature	# Units	WER		
Dataset	reature	# Ullits	dev	test	
	FBank	:-::	12.24	12.19	
GigaSpeech	WavLM-Large	2000	13.20	13.05	
	HuBERT-Large	2000	14.45	14.79	
AISHELL-1	FBank	(. <b>-</b> .)	4.27	4.49	
AISHELL-1	WavLM-Large	2000	8.41	8.83	

#### Two reserved problems:

- Noise robostness still need to be improved
- Language generalization is highly associated with SSL model

# **TTS** with Discrete Tokens on LibriTTS

Feature	# Units	Bandwidth	MC	SECS		
reature	# Units	(kbps)	Naturalness	Similarity	SECS	
Ground-truth	-	// - 1	4.48	4.18	0.843	
Mel spectrogram	- //	256.00	4.36	4.17	0.834	
Encodec	$1024^{8}$	6.00	3.83	3.85	0.834	
DAC	$1024^{8}$	4.00	4.41	4.30	0.841	
vq-wav2vec	$320^{2}$	1.66	4.36	4.21	0.842	
HuBERT Large	2000	0.55	4.26	4.18	0.833	
WavLM Large	2000	0.55	4.18	4.18	0.836	

- Discrete tokens outperform mel-spectrogram features on subject & object metrics
- Discrete tokens from DAC work best

# TTS with Discrete Tokens on LibriTTS: Demo

[Transcription] The investors in the enterprise were ready and anxious to meet the extra cost of putting the wires underground.





vq-wav2vec



Encodec



HuBERT



DAC



Wayl M



Mel-spectrogram



### Recent Advance about ASR with Discrete Tokens

Dataset	Benchmark	WER		
Dataset	Delicilliark	test-clean	test-other	
LibriSpeech 960h	FBank	2.21	4.79	
LibriSpeech 960h	Discrete Tokens	2.00	4.12	
Dataset	Benchmark	WER		
Dataset	Delicililai k	dev	test	
GigaSpeech 1000h	FBank	12.12	12.08	
GigaSpeech 1000h	Discrete Tokens	11.24	11.27	
GigaSpeech 10000h	FBank	10.31	10.50	
GigaSpeech 10000h	Discrete Tokens	10.30	10.53	

- Discrete tokens achieve SOTA based on our recent advance (68M)
  - LibriSpeech 960h
  - GigaSpeech 1000h & GigaSpeech 10000h

# Conclusion

Discrete tokens outperform continuous features in ASR and TTS

Discrete tokens source matter

- Discrete tokens from WavLM work best for ASR
- Discrete tokens from DAC work best for TTS

Generalization of discrete tokens across languages is yet to be improved

# Thank You! Q&A

# Feel free to contact me for any question

Yifan Yang Shanghai Jiao Tong University

> yifanyeung@sjtu.edu.cn 2024.04.17





